



# BONGONGO ANGUS

EST. 1926

**ANNUAL AUTUMN HELMSMAN SALE | 66 BULLS**  
**MONDAY 19TH MAY 2025, 11AM**  
**ON PROPERTY AT RIVERVIEW, COOLAC**



# BULL SALE HIGHLIGHTS

## EBV FIGURES FOR 2025 AUTUMN SALE GROUP:

*(Compared with Breed Average)*

### FERTILITY TRAITS:

66% below breed average BWgt  
75% above breed average CED  
75% below breed average GL  
75% below breed average DTC

### GROWTH TRAITS:

66% above breed average 200D  
60% above breed average 400D & 600D  
63% above breed average for MILK  
With 96% below breed average  
for MCWgt

### CARCASE TRAITS:

54% above breed average EMA  
57% above breed average  
RIB & RUMP fat  
93% above breed average for IMF

**90% ABOVE FOR BREED  
AVERAGE INDEXES  
\$A AND \$A-L**

## LEADING SIRES OF THE 2025 SALE TEAM

---

9 SONS BY  
**KNOWLA SO RIGHT S48**  
Phenotype with Genotype

---

6 SONS BY  
**DUNOON QUICK DRAW**  
**MCRAW Q1163**  
Exciting Group of Bulls

---

5 SONS BY  
**ALPINE REAL DEAL R163**  
Great spread of figures

---

7 SONS BY  
**BALDRIDGE VERSATILE**  
New Sire with Carcass Strength

---

10 SONS BY  
**MURDEDUKE QUARTERBACK Q011**  
High Carcass Merit

---



**G**  
EST. 1926

# WELCOME TO BONGONGO ANGUS

Welcome to our 2025 Autumn Bull Sale marking the 99th year the Graham family have successfully and continually bred high quality Angus cattle. The sentiment and outlook surrounding beef remains strong despite a challenging 2024 and early 2025 giving most producers in Southern Australia difficult seasonal conditions to manage. The outlook for beef remains bullish.

The recent purchase of two new sires into the Bongongo stud are exciting as we continue to invest in this great breed. Te Mania Ube U28, a son of Te Mania Neon and Landfall Rhynie U1706, a son of Te Mania Rhynie are both very impressive bulls with data to match. We look forward to their impact in our herd and more importantly the future of all your herds through genetic improvement.

Produced on grass and backed by excellent breeding and genetics we have **66 bulls in this catalogue**. These young sons are from notable genetics and include impressive bulls **by Knowla So Right S48, Dunoon Quick Draw McGraw Q1163, Alpine Real Deal R163, Baldrige Versatile, Rissington Sovereign Q485** and others including impressive Bongongo homebred sires.

**Of note are the 8 sons by Knowla So Right S48.** The consistency of these bulls as a group is outstanding when it comes to their body shape, muscle pattern and overall carcass attributes. Impressive and worth a look. So Right is definitely marking his progeny.

**90% of bulls in this catalogue are above breed average for \$A and \$A-L indexes and 93% of bulls are above breed average for IMF.** This reflects our dedication to breeding quality, easy calving, fertile cattle ready for many different markets.

As a cattle veterinarian involved with all aspects of commercial and stud breeding for over four decades it is hard to comprehend how the **overfeeding** of bulls for sale is still an accepted practice. Sadly, this practice is becoming more popular. The cost is borne by the commercial bull buyer due to higher bull breakdowns backed by lesser than expected performance as they should be in **ready to work** condition at joining. Bull longevity in a herd is a critical fertility trait and profit driver.

The ability for breeders to select for key traits through ultrasonic scanning has been the single biggest development over the last thirty years giving Angus breeders an enormous benefit for carcass selection traits. Leading Angus sires that fit these criteria are used extensively through artificial breeding to improve the genetics of our herd so our client's herds do the same.

The other big development in the last decade has been **Genomics testing** and all that it incorporates through the use of DNA. It is important to read and update your knowledge on the changes and developments of the breed indexes in the following pages. At Bongongo we are pleased to see these developments in the Angus breed as fertility traits and lower mature cow size have always been identified as the most important.

We invite you to take a closer look at our bulls at our **Open Day on Monday 12th May from 10am to 2pm**. If this doesn't suit please contact us to find a suitable time to inspect the bulls. The bulls were filmed on 17th April by Rachael Lenehan (Rachael Lenehan Photography). They can be viewed on Auctions Plus and on our website.

Finally, at Bongongo we pride ourselves on our after sales service so please don't hesitate to contact us if you have any problems or need assistance with your bull selection.

Thank you for your interest and support,  
Bill, Shauna and Georgia Graham





# SALE DAY INFORMATION

## OPEN DAY

Monday 12th May, 10am-2pm.

## THE HELMSMAN SELLING SYSTEM

Auctions don't have to be stressful environments. The Helmsman system combines the best features of an auction system and sale by private treaty. You have more time to consider lodging your bid. You can place genuine bids on any bull of your choice at any time during the sale period. All bulls are sold exclusive of GST.

## INTERFACED WITH AuctionsPlus®

The bulls in this catalogue were filmed for the sale on 3rd September. The photos, videos & their performance data are available to view on our website & through Auctions Plus. Register online prior to the sale and we will have your bidding card ready for you on the day! Prospective bidders must register at least 24 hours prior to sale with AuctionsPlus:

**(02) 9262 4222** [www.auctionsplus.com.au](http://www.auctionsplus.com.au)

## REBATE

A 3% rebate will be offered to all outside agents who introduce the client in writing to the vendor at email [billshauna@bongongoangus.com.au](mailto:billshauna@bongongoangus.com.au) 24 hrs prior to the sale and who settle within 7 days of the sale day.

## REFRESHMENTS

Complimentary morning tea and lunch will be available. Please note the delicious steaks we are supplying are Sunny Point Pastoral beef which is owned by the Mawhood family. They have won many prestigious awards including:

- **Champion Virtual Taste Test steer**  
(sired by Bongongo Q771)
- **Carcass awards at the 2024 Sydney Royal Easter Show**
- **Reserve champion Riverine Premium Beef Champion pen at 2024 Beef Spectacular Feedback Trial.**

The Mawhood family are strong supporters of Bongongo Angus bulls which are known for their marbling. You can buy Sunny Point Pastoral beef at IGA Cootamundra and the Cootamundra Butchery. We would appreciate any donations which will go towards Cancer Council. A portaloos will be at the sale.

## SUPPLEMENTARY SHEET

Will be available on sale day, including scrotal size measurements, weights and a map of the pens.

## BUYERS ORDERS AND PHONE LINK UP

Mobile phones will operate via wifi calling at the sale venue. We encourage potential purchasers who are unable to attend the sale to make arrangements with the vendor or Agent if you wish to be contacted during the sale. Please make arrangements prior to sale day.

## DELIVERY

The vendors will provide delivery on all bulls to all major centres in NSW at their expense, as soon as possible following the sale. Verbal instruction will NOT be accepted. Written instructions are required using the slip in this catalogue.

## INSURANCE

It is suggested that buyers insure their purchases upon the fall of the hammer. Facilities for insurance will be available at the sale. Any insurance claims must be lodged within six (6) months from the sale date with vendor or agent.

## SALE DAY SAFETY

All care is taken to ensure livestock pose minimum threat to us and our clients. However, we cannot predict nor guarantee their behaviour. All sale bulls have been assessed for temperament and are quiet to handle under normal circumstances. Sale day places bulls under stresses that are foreign to their normal routine.

## REGISTRATION TRANSFER

Transfer of ownership of the bulls will be registered by the vendors with Angus Australia, provided accurate transferee details are supplied with the Buyers Instruction Form. With this form, please be sure to provide: PIC number & Angus Herd ID.

## ATTENTION BUYER

Animal details included in this catalogue, including but not limited to pedigree, DNA information, Estimated Breeding Values (EBVs) and Index values, are based on information provided by the breeder or owner of the animal. Whilst all reasonable care has been taken to ensure that the information provided in this catalogue was correct at the time of publication, Angus Australia will assume no responsibility for the accuracy or completeness of the information, nor for the outcome (including consequential loss) of any action taken based on this information.

## SEMEN SALES

Bongongo reserves the right to collect and market semen for on-farm and commercial use only, from all bulls sold. The collection of these bulls will be either on Bongongo premises, at the buyer premises, or at a registered facility to pose minimum risk to the bull. Bongongo will work with the purchaser to ensure the collection of the bull occurs at a timely manner and does not unreasonably interfere with the use of the bull/s by the purchases. Expenses will be covered by Bongongo.

## DISCLAIMER

All reasonable care has been taken by the vendor to ensure that the information provided in this catalogue is correct at the time of publication. However, neither the vendor nor the selling agents make no representations about the accuracy, reliability or completeness of any information provided in this catalogue and do not assume any responsibility for the use or interpretation of the information included in this catalogue.

# ABOUT THE BULLS

## BULL FERTILITY

At Bongongo we understand the key profit drivers of our commercial clients with **fertility** the most important. All bulls have undergone a bull breeding soundness examination (VBBSE) involving:

- Structural soundness
- Testicle palpation and measurement (scrotal size)
- Physical examination of internal and external genitalia.

All Bongongo bulls and heifers are run in large contemporary groups, off grass and bred to perform in this cold temperate environment.

## BULL HEALTH

- All bulls have tested negative to BVDV
- All bulls during March/April 2025:
  - Passed a VBBSE (Veterinary Bull Breeding Soundness Examination)
  - Had a double Vibrovax vaccination
  - Intrapreputal irrigation with Metricure
  - Ultravac 7in1 booster vaccination
  - Were drenched with:
    - Dectomax V
    - Flukazole for liver fluke

## BULL WEIGHTS

We do not push our bulls when preparing them for sale. Big weights are not a priority but longevity of the working life of our bulls is. Our bulls are sold in their 'working clothes'. The article in this catalogue about mature cow weights (Pg. 45) has been strongly adhered to in the Bongongo herd for generations and it is a key profit driver. As a vet for over four decades this has been obvious across the industry, all breeds and within herds especially seeing in tough nutritional seasons many of the largest breeders cull themselves.

## GENOMICS AND GENETIC TESTING

Over the last few years we have used GENOMIC testing (Zoetis HD50k) to enhance the accuracy and check the parentage of all our sale bulls. The future of breeding will involve more molecular testing through DNA. This is a great advance to develop our Breedplan EBV's into an even better world leading program.

DNA test results will be available by sale day regarding status of any bulls that are AM or NH "in doubt" in the catalogue. The bulls are Genomic tested through the HD50k Zoetis test. This testing will increase the accuracy of Breedplan EBV's and checks the percentage. As well any bulls requiring testing for genetic defects AM, NH, CA or DD have been tested with results in the catalogue.

## INDEXES

You will also notice that the indexes reported through Angus Australia TransTasman Angus Cattle Evaluation analysis have changed. Significant modifications have been applied to the calculation of all indexes via updating of the software used. Economic and production parameters used in the calculation of the indexes have been updated to reflect the current production systems and markets. The BreedObject software used to calculate the indexes has been updated with improvements in the modeling of young animal growth, cow weight and body condition throughout the year and carcass market specifications.

**The main message in a nutshell;** more emphasis has been placed on mature cow weight EBVs within the indexes to better reflect the impact of increased cow weight on feed costs. As a result of these updates, the selection index values published on animals has changed considerably as has the spread of the values. We encourage you to refer to the Angus Australia EBV reference table to get a good handle on where each animal sits for each trait or index and how these indexes are calculated on the Angus Australia website.

## BULL TEMPERAMENT

Bongongo place great emphasis on selecting for quiet temperament. We often get feedback on the quietness of our cattle, and how easy they are to handle and work with. Temperament is highly heritable, it affects carcass quality, growth rate and handling. Any animal that shows bad temperament is culled.

## MANAGEMENT

It is the policy of Bongongo to raise both stud and commercial cattle under similar conditions to those that are normal for commercial beef production. Under this system all cattle share the paddocks with sheep and supplementary feeding with hay or silage is provided under tight seasonal conditions.

## VISUAL ASSESSMENT

When choosing bulls you need to use both the EBVs and visual assessment. Visual assessment is essential to assess physical and structural soundness and is a reasonable indicator of health and temperament. EBVs are a tool that will help you to make more educated decisions when you are choosing breeding stock. Do your homework well before the sale when you have plenty of time. New coding in both the EBVs, sale lots and reference sires:

 **TOP 20%**

# OUR PEOPLE



Bongongo Angus is one of the oldest registered Angus herds in Australia, founded by the Graham brothers in 1926. H.L. (Bill) and his brother Bruce Graham ran the stud from 1950. Generational change saw the stud pass to Bill and Shauna and their family in the late 1990's. When H.L. (Bill) Graham died in 2012 at 90 years, his love of livestock, agriculture and family left us an indelible legacy.

**Bills passion for agriculture, cattle, genetics, breeding and his huge energy and enthusiasm has seen a big growth in the stud and in its bull sales.**

Today we have over 1400 registered breeders backed up by a very large commercial herd. A few years ago we welcomed our daughter Georgia home into our farming business and to help run the Bongongo Angus stud. Georgia has a passion and strong interest in genetics backed by her combined science business degree, bringing new skills to our farming enterprise.







**AGENT: RYAN BAJADA**  
0435 411 536



**AGENT: HARRY WATERS**  
0417 441 155



**THE BONGONGO ANGUS  
GRANDCHILDREN ON BULLA'S  
INFAMOUS KABOTA**

# THE PROOF IS IN THE PUDDING

**OH YES IT IS!** Backed by excellent breeding and genetics, we have had some great stories from both 2024 Beef Spectacular and 2024 Sydney Royal Easter Show this year.



## SUNNY POINT PASTORAL, OBERSON NSW

You can find this excellent beef at IGA Supermarkets in Cootamundra, Oberon, Grenfell and the Cootamundra Butchery. It will also be served on sale day.

### ROYAL EASTER SHOW 2024

- Sunny Point Pastoral steers prepared by Scots All Saints College, Bathurst:
- Champion Virtual Taste Test Carcase (highest MSA index carcase) and bronze medal sired by Bongongo Q771, a Baldrige Beast Mode son. With a live weight of 399kg, the carcase measured 14mm rib and 9mm rump fat and had an EMA of 77cm sq.
- Bronze carcase medal for steer sired by KO Beast Mode P117.

### BEEF SPECTACULAR 2024

- Awarded reserve champion Riverine Premium Beef Champion pen at 2024 Beef Spectacular Feedback Trial. All five steers entered in this group qualified for the top brand Riverine Premium Beef with MSA index of 63.82.
- Received a gold medal in eating quality and second highest MSA index of 65.08 overall.
- 9 out of the total 10 steers entered hit the Riverine Premium Beef brand.

## SHEPSTONE PARK, JUGIONG

### EXCELLENT CARCASE RESULTS

- Team of five Angus steers awarded reserve champion Teys Certified Premium Black Angus champion pen.
- Two of these steers were sired by Bongongo Be Quick Q227.
- A great result in a high performance commercial herd that has focussed on IMF for over two decades.



**SHEPSTONE PARK** *Shepstone Park manager Claydon Butt and Lynne and Craig Turnbull, Shepstone Park, Jugiong.*





## SUNNY POINT

Champion Virtual Taste Test Carcase (highest MSA index carcase) and bronze medal sired by Bongongo Q771, a Baldrige Beast Mode son.



**SUNNY POINT** Tristan Lanser and Glen Mawhood, Sunny Point Pastoral, Oberon, with 20-month-old heifers that are due to calve in May. The heifers are Bongongo and Millah Murrah blood and are sisters to the steers entered in the feedlot competition.





# TransTasman Angus Cattle Evaluation - April 2025 Reference Tables

## BREED AVERAGE EBVs

Calving Ease		Birth		Growth			Maternal			Fertility			Carcase			Other			Structure			Selection Indexes			
CEDir	CEDtrs	GL	BW	200	400	600	MCW	MBC	MCH	Milk	SS	DTC	CWT	EMA	RIB	P8	RFY	IMF	NFI-F	DOC	Claw	Angle	Leg	\$A	\$A-L
+2.3	+3.1	-4.6	+3.9	+52	+93	+121	+103	+0.26	+8.1	+17	+2.2	-4.8	+69	+6.6	+0.1	-0.2	+0.4	+2.5	+0.24	+21	+0.84	+0.96	+1.02	+206	+352
Brd Avg																									

\* Breed average represents the average EBV of all 2023 drop Australian Angus and Angus-influenced seedstock animals analysed in the April 2025 TransTasman Angus Cattle Evaluation

## PERCENTILE BANDS TABLE

% Band	Calving Ease				Birth		Growth			Maternal			Fertility				Carcase				Other				Structure				Selection Indexes																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Mature Weight	Mature Weight	Body Condition	MCH	Milk	SS	DTC	CWT	EMA	RIB	P8	RBY	IMF	NFI-F	DOC	Claw	Angle	Leg	\$A	\$A-L																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
Less	Difficulty	Less	Shorter Gestation	Lighter Birth Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier

\* The percentile band represents the distribution of EBVs across the 2023 drop Australian Angus and Angus-influenced seedstock animals analysed in the April 2025 TransTasman Angus Cattle Evaluation



# Trans Tasman Angus Cattle Evaluation - April 2025 Reference Tables

BREED AVERAGE SELECTION INDEXES									
	\$A	\$D	\$GN	\$GS	\$A-L	\$D-L	\$GN-L	\$GS-L	\$T
Breed Avg	+206	+170	+272	+190	+352	+304	+422	+395	+189

\* Breed average represents the average EBV of all 2023 drop Australian Angus and Angus-influenced seedstock animals analysed in the April 2025 Trans Tasman Angus Cattle Evaluation

PERCENTILE BANDS TABLE - SELECTION INDEXES									
% Band	\$A	\$D	\$GN	\$GS	\$A-L	\$D-L	\$GN-L	\$GS-L	\$T
1%	+283	+238	+376	+271	+460	+402	+554	+527	+238
5%	+261	+218	+347	+248	+430	+374	+518	+489	+214
10%	+250	+208	+332	+236	+414	+359	+498	+469	+202
15%	+242	+201	+321	+227	+403	+349	+485	+456	+193
20%	+236	+195	+312	+221	+394	+341	+474	+445	+186
25%	+230	+191	+305	+215	+387	+335	+465	+436	+180
30%	+225	+187	+298	+210	+380	+329	+457	+428	+175
35%	+221	+183	+292	+205	+374	+323	+449	+421	+170
40%	+217	+179	+286	+201	+368	+318	+442	+414	+165
45%	+212	+175	+280	+196	+362	+313	+435	+406	+161
50%	+208	+172	+275	+192	+357	+308	+427	+399	+156
55%	+204	+168	+269	+187	+351	+302	+420	+392	+152
60%	+200	+164	+263	+183	+344	+297	+412	+385	+147
65%	+195	+160	+257	+178	+338	+291	+404	+377	+142
70%	+190	+156	+250	+173	+331	+285	+395	+369	+137
75%	+184	+151	+242	+167	+323	+277	+385	+359	+130
80%	+177	+146	+233	+160	+313	+269	+374	+348	+123
85%	+169	+139	+223	+152	+301	+259	+359	+334	+115
90%	+159	+130	+209	+141	+285	+246	+339	+316	+103
95%	+142	+116	+187	+125	+260	+224	+308	+287	+86
99%	+108	+89	+144	+93	+205	+177	+245	+224	+51
	Lower Profitability	Lower Profitability	Lower Profitability	Lower Profitability	Lower Profitability	Lower Profitability	Lower Profitability	Lower Profitability	Lower Profitability

\* The percentile band represents the distribution of EBVs across the 2023 drop Australian Angus and Angus-influenced seedstock animals analysed in the April 2025 Trans Tasman Angus Cattle Evaluation



# THE EXPERT ADVICE ON BEEF HERD FERTILITY!

**ADVICE ON THE NUMBER ONE PROFIT DRIVER IN A COMMERCIAL BREEDING HERD FROM THREE OF THE COUNTRY'S MOST KNOWLEDGEABLE PEOPLE ON THE TOPIC HAS BECOME ONE OF THE BIGGEST TALKING POINTS IN THE CATTLE BUSINESS AT THE MOMENT. THE CHAPTER ON HERD FERTILITY IN THE 2023 AUSTRALIAN BEEF REPORT IS WIDELY BEING DESCRIBED AS THE MOST COMPREHENSIVE GUIDE TO REPRODUCTION MANAGEMENT PUBLISHED BUT IT'S ALSO RUFFLED A FEATHER OR TWO.**

**It's written by Phil Holmes, John Bertram and**

**Michael McGowan**, all of whom have contributed significantly to the research on herd productivity across three extensive science careers furnished with decades of practical experience in the paddock and at the crush. They are also people known to call a spade a spade. Some of their pieces of advice, particularly in the 'choosing seedstock sources' section, have certainly got the industry talking.

## **DO THEY SHOW CATTLE?**

Run like the wind if they do. They will often justify this on the basis it is an effective form of promotion. If they say that, run faster than the wind because they do not understand proper marketing principles either," the chapter says.

## **DO THEY USE BREEDPLAN AS IT SHOULD BE USED?**

That is, letting it guide their breeding decisions rather than just superficially enhancing sale bull descriptions.

## **DO THEY FEED BULLS UP TO STUPID LEVELS OF FATNESS FOR SALE, GLOAT ABOUT THE LIVE WEIGHT, TRIM THEIR FEET AND SHAMPOO THEM?**

Offer them emotional help if you feel brave enough, otherwise run away."

These comments, of course, are just a few hundred words amid thousands that address every aspect of what is arguably the most critical topic for a beef producer - fertility.

## **WHY FERTILITY MATTERS**

The Beef Report is published by Beef Australia for professionals in a comprehensive yet accessible way that many producers have no idea how to put to their business.

Herd productivity is a measure of how well producers are at doing that, he says. "Those who understand their herd's productivity can make better decisions about pasture eaten."

Herd productivity is a combined outcome of genetics won't overcome sub-standard

## **WHAT IS A FERTILE HERD?**

The authors put forward these definitions:

A highly fertile southern herd will have no more than 2pc of bulls are used.

A highly fertile northern herd will have no more than 2pc of bulls are used. The authors also note that week matings are also not always possible due to a breeding cycle of 365 days. The authors

## **WHERE TO FOCUS?**

Is it bulls or cows that drive genetic change of the herd can be up to 30%. The right seedstock source is so important to know how to manage them.

While most of the genetic change in production, they say. The authors advise her as a mature breeder, getting the

Topping all of this off is a discussion on Andrew Miller, Braidwood at Jundah knowledge of building and managing a

## ERS!

h Agribusiness, which says it's purpose with this chapter was to capture the combined knowledge of three eminently qualified  
concise summary of herd fertility - the type of which had never before been published. Bush Agribusiness' Ian McLean says  
productive their herd is, both in its own right & compared to the industry, and therefore have no idea how big a constraint it is

ow efficiently herds convert grass into beef and there is a big difference between businesses in terms of how efficient they  
o are more efficient are producing and selling more beef than the rest," Mr McLean said. "It is therefore very important for  
productivity, primarily for the potential to increase income through producing more kilograms from the same amount of

come of management and genetics, the Beef Report argues. Mr McLean: "Management is arguably more important, as excellent  
rd management. However, if management is on the ball, then genetics can leverage this for a superior outcome."

## RD?

nitions.

ave at least 90 per cent of mixed age breeders wean a calf every year from a mating that does not exceed six weeks and  
As well, at least 60pc of the calves will be born in the first three weeks of calving.

ave at least 80pc of mixed age breeders wean a calf every year from a mating that does not exceed six weeks and no more  
ors acknowledge there are some northern areas where that is impossible but say that is what should be strived for. Six  
ossible in the north and pregnancy testing can be used to reduce the window, they say. But that period is critical to achieve a  
hors say this is a critical point in reproductive management that even some seedstock producers do not fully grasp.

change in a herd? The obvious answer is 50:50 but the authors explain that the contribution of the bull to the genetic  
times that of the females & suggest that this is the relative importance that should be placed on each. They discuss why the  
ant to your herd and provide some suggestions for identifying the right one. They also discuss how many bulls are needed &

n the herd comes from bulls, the females are the engine room of herd reproduction and how they are managed drives  
dress the lifetime of the breeding female, setting her up as maiden, lifting her performance when on her first calf, managing  
herd structure right and reducing dystocia.

on animal health and specific diseases that affect herd fertility. One of the reviewers of the publication, Queensland producer  
, described the chapter as an exceptional summary of the topic and essential reading. Mr Miller has hard-won, firsthand  
a fertile herd.



# STRUCTURAL ASSESSMENT

**THE BEEF CLASS STRUCTURAL ASSESSMENT SYSTEM USES A 1-9 SCORING SYSTEM FOR FEET AND LEG STRUCTURE:**

**A SCORE OF 5 IS IDEAL**

**4 AND 6 SHOWS SLIGHT VARIATION FROM IDEAL**, but this includes most sound animals. An animal scoring 4 or 6 would be acceptable in any breeding program.






**3 AND 7 SHOWS GREATER VARIATION**, but would be acceptable in most commercial breeding programs, however seedstock producers should be wary

**2 AND 8 ARE LOW SCORING ANIMALS** and should be looked at carefully before purchasing.

## GOOD CATTLE STRUCTURE HAS A DIRECT IMPACT ON PRODUCER PROFITABILITY.

Objectively measuring structure, in conjunction with the use of performance recording, gives a greater picture of how an animal will perform. It gives insight into key profit drivers that affects the bottom line for commercial cattle breeders.

Issues with structure can affect bull and cow longevity. Our herd is assessed using a Beef Class Structural Assessment System, which is outlined here.



# UNDERSTANDING TACE AND EBVS

## WHAT IS THE TRANSTASMAN ANGUS CATTLE EVALUATION?

The TransTasman Angus Cattle Evaluation (TACE) is the genetic evaluation program adopted by Angus Australia for Angus and Angus infused beef cattle. TACE uses Best Linear Unbiased Prediction (BLUP) technology to produce Estimated Breeding Values (EBVs) of recorded cattle for a range of important production traits (e.g. weight, carcase, fertility).

TACE includes pedigree, performance and genomic information from the Angus Australia and New Zealand Angus Association databases to evaluate the genetics of animals across Australia and New Zealand.

TACE analyses are conducted by the Agricultural Business Research Institute (ABRI), using beef genetic evaluation software developed by the Animal Genetics and Breeding Unit (AGBU), a joint institute of NSW Agriculture and the University of New England, and Meat and Livestock Australia Limited (MLA).

## WHAT IS AN EBV?

An animal's breeding value can be defined as its genetic merit for each trait. While it is not possible to determine an animal's true breeding value, it is possible to estimate it. These estimates of an animal's true breeding value are called EBVs (Estimated Breeding Values).

EBVs are expressed as the difference between an individual animal's genetics and a historical genetic level (i.e. group of animals) within the TACE genetic evaluation, and are reported in the units in which the measurements are taken.

## USING EBVS TO COMPARE THE GENETICS OF TWO ANIMALS

TACE EBVs can be used to estimate the expected difference in the genetics of two animals, with the expected difference equating to half the difference in the EBVs of the animals, all other things being equal (e.g. they are joined to the same animal/s).

For example, a bull with a 200 Day Growth EBV of +60 would be expected to produce progeny that are, on average, 10 kg heavier at 200 days of age than a bull with a 200 Day Growth EBV of +40 kg (i.e. 20 kg difference between the sire's EBVs, then halved as the sire only contributes half the genetics). Or similarly, a bull with an IMF EBV of +3.0 would be expected to produce progeny with on average, 1% more intramuscular fat in a 400 kg carcase than a bull with a IMF EBV of +1.0 (i.e. 2% difference between the sire's EBVs, then halved as the sire only contributes half the genetics).

## USING EBVS TO BENCHMARK AN ANIMAL'S GENETICS WITH THE BREED

EBVs can also be used to benchmark an animal's genetics relative to the genetics of other Angus or Angus infused animals in Australia and New Zealand.

To benchmark an animal's genetics relative to other Angus animals, an animal's EBV can be compared to the EBV reference tables, which provide:

- the breed average EBV
- the percentile bands table

The current breed average EBV is listed on the bottom of each page in this publication, while the current EBV reference tables are included at the end of these introductory notes. For easy reference, the percentile band in which an animal's EBV ranks is also published in association with the EBV.

## CONSIDERING ACCURACY

An accuracy value is published with each EBV, and is usually displayed as a percentage value immediately below the EBV.

The accuracy value provides an indication of the reliability of the EBV in estimating the animal's genetics (or true breeding value), and is an indication of the amount of information that has been used in the calculation of the EBV.

EBVs with accuracy values below 50% should be considered as preliminary or of low accuracy, 50-74% as of medium accuracy, 75-90% of medium to high accuracy, and 90% or greater as high accuracy.

## DESCRIPTION OF TACE EBVS

EBVs are calculated for a range of traits within TACE, covering calving ease, growth, fertility, maternal performance, carcase merit, feed efficiency and structural soundness. A description of each EBV included in this publication is provided on the following pages.





# UNDERSTANDING ESTIMATED BREEDING VALUES

CALVING EASE	<b>CEDir</b>	%	Genetic differences in the ability of a sire's calves to be born unassisted from 2 year old heifers.	Higher EBVs indicate fewer calving difficulties in 2 year old heifers.
	<b>CEDtrs</b>	%	Genetic differences in the ability of a sire's daughters to calve unassisted at 2 years of age.	Higher EBVs indicate fewer calving difficulties in 2 year old heifers.
	<b>GL</b>	days	Genetic differences between animals in the length of time from the date of conception to the birth of the calf.	Lower EBVs indicate shorter gestation length.
	<b>BW</b>	kg	Genetic differences between animals in calf weight at birth.	Lower EBVs indicate lighter birth weight.
GROWTH	<b>200 Day</b>	kg	Genetic differences between animals in live weight at 200 days of age due to genetics for growth.	Higher EBVs indicate heavier live weight.
	<b>400 Day</b>	kg	Genetic differences between animals in live weight at 400 days of age.	Higher EBVs indicate heavier live weight.
	<b>600 Day</b>	kg	Genetic differences between animals in live weight at 600 days of age.	Higher EBVs indicate heavier live weight.
MATERNAL	<b>MCH</b>	cm	Genetic differences between animals in the height of mature females.	Higher EBVs indicate taller mature females.
	<b>MBC</b>	score	Genetic differences between animals in the body condition of mature females.	Higher EBVs indicate more body condition of mature females.
	<b>MCW</b>	kg	Genetic differences between animals in live weight of cows at 5 years of age.	Higher EBVs indicate heavier mature weight.
	<b>Milk</b>	kg	Genetic differences between animals in live weight at 200 days of age due to the maternal contribution of its dam.	Higher EBVs indicate heavier live weight.
FERTILITY	<b>DtC</b>	days	Genetic differences between animals in the time from the start of the joining period (i.e. when the female is introduced to a bull) until subsequent calving.	Lower EBVs indicate shorter time to calving.
	<b>SS</b>	cm	Genetic differences between animals in scrotal circumference at 400 days of age.	Higher EBVs indicate larger scrotal circumference.
CARCASS	<b>CWT</b>	kg	Genetic differences between animals in hot standard carcass weight at 750 days of age.	Higher EBVs indicate heavier carcass weight.
	<b>EMA</b>	cm <sup>2</sup>	Genetic differences between animals in eye muscle area at the 12/13th rib site in a 400 kg carcass.	Higher EBVs indicate larger eye muscle area.
	<b>Rib Fat</b>	mm	Genetic differences between animals in fat depth at the 12/13th rib site in a 400 kg carcass.	Higher EBVs indicate more fat.
	<b>P8 Fat</b>	mm	Genetic differences between animals in fat depth at the P8 rump site in a 400 kg carcass.	Higher EBVs indicate more fat.
	<b>RBY</b>	%	Genetic differences between animals in boned out saleable meat from a 400 kg carcass.	Higher EBVs indicate higher yield.
	<b>IMF</b>	%	Genetic differences between animals in intramuscular fat (marbling) at the 12/13th rib site in a 400 kg carcass.	Higher EBVs indicate more intramuscular fat.
FEED/TEMP	<b>NFI-F</b>	kg/day	Genetic differences between animals in feed intake at a standard weight and rate of weight gain when animals are in a feedlot finishing phase.	Lower EBVs indicate more feed efficiency.
	<b>Doc</b>	%	Genetic differences between animals in temperament.	Higher EBVs indicate better temperament.
STRUCTURE	<b>Claw Set</b>	score	Genetic differences in claw set structure (shape and evenness of claws).	Lower EBVs indicate less curl of the claw set.
	<b>Foot Angle</b>	score	Genetic differences in foot angle (strength of pastern, depth of heel).	Lower EBVs indicate more heel depth.
	<b>Leg Angle</b>	score	Genetic differences in rear leg structure when viewed from the side (angle at front of the hock).	Lower EBVs indicate a less angular leg angle.
SELECTION INDEX	<b>\$A</b>	\$	Genetic differences between animals in net profitability per cow joined in a typical commercial self replacing herd using Angus bulls. This selection index is not specific to a particular market end-point, but identifies animals that will improve overall net profitability in the majority of commercial, self replacing, grass and grain finishing beef production systems.	Higher selection indexes indicate greater profitability.
	<b>\$A-L</b>	\$	The \$A-L index is similar to the \$A index but is modelled on a production system where feed is surplus to requirements for the majority of the year, or the cost of supplying additional feed when animal feed requirements increase is low.  While the \$A aims to maintain mature cow weight, the \$A-L does not aim to limit the increase in mature cow weight as there is minimal cost incurred if the feed maintenance requirements of the female breeding herd increase as a result of selection decisions.	Higher selection indexes indicate greater profitability.

# SELECTION INDEXES

<b>\$D</b>	\$	Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting the domestic supermarket trade. Steers are either finished using pasture, pasture supplemented by grain, or grain (e.g. 50 -70 days) with steers assumed to be slaughtered at 510kg live weight (280kg carcass weight with 12mm P8 fat depth) at 16 months of age.	Higher selection indexes indicate greater profitability.
<b>\$D-L</b>	\$	<p>The \$D-L index is similar to the \$D index but is modelled on a production system where feed is surplus to requirements for the majority of the year, or the cost of supplying additional feed when animal feed requirements increase is low.</p> <p>While the \$D aims to maintain mature cow weight, the \$D-L does not aim to limit the increase in mature cow weight as there is minimal cost incurred if the feed maintenance requirements of the female breeding herd increase as a result of selection decisions.</p>	Higher selection indexes indicate greater profitability.
<b>\$GN</b>	\$	Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting pasture grown steers with a 250 day feedlot finishing period for the grain fed high quality, highly marbled markets. Steers are assumed to be slaughtered at 800 kg live weight (455 kg carcass weight with 30 mm P8 fat depth) at 24 months of age, with a significant premium for steers that exhibit superior marbling.	Higher selection indexes indicate greater profitability.
<b>\$GN-L</b>	\$	<p>The \$GN-L index is similar to the \$GN index but is modelled on a production system where feed is surplus to requirements for the majority of the year, or the cost of supplying additional feed when animal feed requirements increase is low.</p> <p>While the \$GN aims to maintain mature cow weight, the \$GN-L does not aim to limit the increase in mature cow weight as there is minimal cost incurred if the feed maintenance requirements of the female breeding herd increase as a result of selection decisions.</p>	Higher selection indexes indicate greater profitability.
<b>\$GS</b>	\$	Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting pasture finished steers. Steers are assumed to be slaughtered at 650 kg live weight (350 kg carcass weight with 12 mm P8 fat depth) at 22 months of age. Emphasis has been placed on eating quality and tenderness to favour animals that are suited to MSA requirements.	Higher selection indexes indicate greater profitability.
<b>\$GS-L</b>	\$	<p>The \$GS-L index is similar to the \$GS index but is modelled on a production system where feed is surplus to requirements for the majority of the year, or the cost of supplying additional feed when animal feed requirements increase is low.</p> <p>While the \$GS aims to maintain mature cow weight, the \$GS-L does not aim to limit the increase in mature cow weight as there is minimal cost incurred if the feed maintenance requirements of the female breeding herd increase as a result of selection decisions.</p>	Higher selection indexes indicate greater profitability.
<b>\$PRO</b>	\$	Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd based in New Zealand that targets the production of grass finished steers for the AngusPure programme. Steers are assumed marketed at approximately 530 kg live weight (290 kg carcass weight with 10 mm P8 fat depth) at 20 months of age, with a significant premium for steers that exhibit superior marbling.	Higher selection indexes indicate greater profitability.
<b>\$T</b>	\$	Genetic difference between animals in net profitability per cow joined in a situation where Angus bulls are being used as a terminal sire over mature breeding females and all progeny, both male and female, are slaughtered. The Angus Terminal Sire Index focusses on increasing growth, carcass yield and eating quality. Daughters are not retained for breeding and therefore no emphasis is given to female fertility or maternal traits.	Higher selection indexes indicate greater profitability.



# RECESSIVE GENETIC CONDITIONS

This is information for bull buyers about the recessive genetic conditions, Arthrogryposis Multiplex (AM), Hydrocephalus (NH), Contractural Arachnodactyly (CA) and Developmental Duplications (DD).

## PUTTING UNDESIRABLE GENETIC RECESSIVE CONDITIONS IN

**PERSPECTIVE:** All animals, including humans, carry single copies (alleles) of undesirable or “broken” genes. In single copy form, these undesirable alleles usually cause no harm to the individual. But when animals carry 2 copies of certain undesirable or “broken” alleles it often results in bad consequences.

### KEY POINT:

WITH TODAY'S DNA TOOLS, UNDESIRABLE GENETIC CONDITIONS CAN BE MANAGED!

Advances in genomics have facilitated the development of accurate diagnostic tests to enable the identification and management of numerous undesirable or “broken” genes. Angus Australia is proactive in providing its members and their clients with relevant tools and information to assist them in the management of known undesirable genes and our members are leading the industry in their use of this technology.

### KEY POINT:

THE NUMBER OF REPORTED OBSERVATIONS OF AM, NH, CA AND DD CALVES IS VERY LOW AND THERE IS CERTAINLY NO NEED FOR PANIC.

**WHAT ARE AM, NH, CA & DD?** AM, NH, CA and DD are all recessive conditions caused by “broken” alleles within the DNA of individual animals. When a calf inherits 2 copies of the AM or NH alleles their development is so adversely affected that they will be still-born. In other cases, such as CA and DD, calves carrying 2 copies of the broken allele may reach full-term. In such cases the animal may either appear relatively normal, or show physical symptoms that affect their health and/or performance.

### KEY POINT:

ANIMALS WITH ONLY ONE COPY OF THE UNDESIRABLE ALLELE (AND ONE COPY OF THE NORMAL FORM OF THE ALLELE) APPEAR NORMAL AND ARE KNOWN AS “CARRIERS”.

## HOW ARE THE CONDITIONS INHERITED?

Research in the U.S. and Australia indicates that AM, NH, CA and DD are simply inherited recessive conditions. This means that a single gene (or pair of alleles) controls the condition. For this mode of inheritance two copies of the undesirable allele need to be present before the condition is seen; in which case you may get an abnormal calf. A more common example of a trait with a simple recessive pattern of inheritance is black and red coat colour.

### KEY POINT:

FOR THE CONDITION TO BE EXPRESSED THE UNDESIRABLE GENE NEEDS TO BE PRESENT ON BOTH SIDES OF THE PEDIGREE AND BOTH THE SIRE AND DAM NEED TO BE A CARRIER.

## WHAT HAPPENS WHEN CARRIERS ARE MATED TO OTHER ANIMALS?

Carriers, will on average, pass the undesirable allele to a random half (50 %) of their progeny. When a carrier bull and carrier cow is mated, there is a 25% chance that the resultant calf will inherit two normal alleles, a 50% chance that the mating will result in a carrier (i.e. with just 1 copy of the undesirable allele), and a 25% chance that the calf will inherit two copies of the undesirable gene. If animals tested free of the undesirable gene are mated to carrier animals the condition will not be expressed at all. All calves will appear normal, but approximately half (50%) could be expected to be carriers.

**HOW IS THE GENETIC STATUS OF ANIMALS REPORTED?** DNA-based diagnostic tests have been developed which can be used to determine whether an individual animal is either a carrier or free of the alleles resulting in AM, NH, CA or DD. Angus Australia uses advanced software to calculate the probability of (untested) animals to being carriers of AM, NH, CA or DD. The software uses the test results of any relatives in the calculations and the probabilities may change as new results for additional animals become available. The genetic status of animals is being reported using five categories:

AMF	Tested AM free
AMFU	Based on pedigree AM free – Animal has not been tested
AM__%	__% probability the animal is an AM carrier
AMC	Tested AM-Carrier
AMA	AM-Affected

For NH, CA and DD, simply replace AM in the above table with NH, CA or DD. Registration certificates and the Angus Australia web-database display these codes. This information is displayed on the animal details page and can be accessed by conducting an “Animal Search” from the Angus Australia website or looking up individual animals listed in a sale catalogue.

**KEY POINT:**  
THE GENETIC STATUS OF AN ANIMAL IS SUBJECT TO CHANGE AND WILL BE RE-ANALYSED AND ADJUSTED EACH WEEK AS DNA TEST RESULTS OF RELATIVES ARE RECEIVED.

**IMPLICATIONS FOR COMMERCIAL PRODUCERS:** Your decision on the importance of the genetic condition status of replacement bulls should depend on the genetics of your cow herd (which bulls you previously used) and whether some female progeny will be retained or sold as breeders.

Most Angus breeders are proactive and transparent in managing known genetic conditions, endeavouring to provide the best information available. The greatest risk to the commercial sector from undesirable genetic recessive conditions comes from unregistered bulls with unknown genetic background. The genetic condition testing that Angus Australia seedstock producers are investing in provides buyers of registered Angus bulls with unmatched quality assurance.


**FOR FURTHER INFORMATION:**  
For further information contact Angus Australia's Breed Development and Innovation Manager at (02) 6773 4602.



# THE AUTUMN SALE BULLS

## Lot 1 BONGONGO U387<sup>PV</sup> NGX23U387

Calved: 7/8/2023	Genetic Status: AMF,CAF,DDF,NHF	Reg'n Level: HBR
BALDRIDGE FORECASTER B160 <sup>PV</sup>	BONGONGO P404 <sup>SV</sup>	
Sire: USA19563587 BALDRIDGE VERSATILE <sup>PV</sup>	Dam: NGX21S640 BONGONGO S640 <sup>PV</sup>	
BALDRIDGE BLACKBIRD A030 <sup>#</sup>	BONGONGO Q597 <sup>PV</sup>	

 TACE	April 2025 TransTasman Angus Cattle Evaluation																					
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBV%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	+9.5	+7.6	-5.3	+2.2	+66	+114	+138	+116	+10	+2.1	-3.9	+77	+7.0	+1.2	+2.8	-1.0	+3.6	+0.58	+33	+0.82	+0.96	+1.04
Acc	67%	56%	83%	82%	84%	82%	82%	79%	74%	80%	42%	70%	71%	70%	71%	61%	75%	62%	78%	67%	67%	60%

Traits Observed:  
GL,BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics


Purchaser:

\$:

\$INDEX VALUES	
\$A	\$A-L
\$249	\$428

## Lot 2 BONGONGO U572<sup>PV</sup> NGX23U572

Calved: 31/7/2023	Genetic Status: AMF,CAF,DDF,NHF	Reg'n Level: HBR
RENNYLEA L519 <sup>PV</sup>	PATHFINDER GENESIS G357 <sup>PV</sup>	
Sire: NGXR288 BONGONGO R288 <sup>SV</sup>	Dam: NGXP757 BONGONGO P757 <sup>SV</sup>	
BONGONGO L399 <sup>#</sup>	BONGONGO H36 <sup>#</sup>	

 TACE TRANS TASMAN ANGUS CATTLE EVALUATION	April 2025 TransTasman Angus Cattle Evaluation																						
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBV%	IMF%	NFI-F	Doc	Claw	Angle	Leg	
	EBV	+4.8	+2.3	-7.0	+2.7	+59	+105	+136	+131	+25	+3.0	-5.5	+86	+6.5	-2.1	-4.2	+0.5	+3.2	+0.00	+14	+0.92	+1.18	+1.14
	Acc	66%	58%	82%	82%	83%	81%	82%	79%	75%	79%	45%	71%	71%	70%	71%	62%	75%	63%	76%	63%	63%	61%

Traits Observed:  
BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

\$INDEX VALUES

\$A

\$A-L

\$218


\$394

Purchaser:

\$:

## Lot 3 BONGONGO U705<sup>PV</sup> NGX23U705

Calved: 1/9/2023	Genetic Status: AMF,CAF,DDF,NHF	Reg'n Level: HBR
BALDRIDGE ALTERNATIVE E125 <sup>PV</sup>	RENNYLEA EDMUND E11 <sup>PV</sup>	
Sire: BLA21S48 KNOWLA SO RIGHT S48 <sup>PV</sup>	Dam: NGXL14 BONGONGO L14 <sup>PV</sup>	
KNOWLA DESIGNER L21 <sup>SV</sup>	BONGONGO J168 <sup>PV</sup>	

	April 2025 TransTasman Angus Cattle Evaluation																						
	CEDir	CEDtr	GL	BW	200	400	600	MCW	Milk	SS	DtC	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg	
	EBV	+3.9	+4.2	-5.1	+3.6	+55	+105	+138	+128	+12	+2.2	-6.1	+88	+8.7	-0.3	-1.8	+0.9	+2.6	+0.20	+42	+0.52	+0.96	+1.06
	Acc	68%	58%	83%	83%	84%	82%	82%	79%	75%	80%	46%	71%	71%	71%	72%	63%	75%	63%	79%	66%	66%	65%

Traits Observed:  
GL,BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

\$INDEX VALUES

\$A

\$A-L

\$237


\$417

Purchaser:

\$:

## Lot 4 BONGONGO U447<sup>PV</sup> NGX23U447

Calved: 10/8/2023	Genetic Status: AMF,CAF,DDF,NHF	Reg'n Level: APR
BALDRIDGE ALTERNATIVE E125 <sup>PV</sup>	MURDEDUKE QUARTERBACK Q011 <sup>PV</sup>	
Sire: BLA21S48 KNOWLA SO RIGHT S48 <sup>PV</sup>	Dam: NGX21S1069 BONGONGO S1069 <sup>PV</sup>	
KNOWLA DESIGNER L21 <sup>SV</sup>	BONGONGO M868 <sup>SV</sup>	

	April 2025 TransTasman Angus Cattle Evaluation																						
	CEDir	CEDtr	GL	BW	200	400	600	MCW	Milk	SS	DtC	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg	
	EBV	-0.7	-2.9	-6.7	+5.2	+69	+117	+159	+149	+24	+2.0	-3.5	+93	+9.3	-1.5	-0.7	+0.1	+3.5	-0.24	+32	+0.98	+1.06	+1.00
	Acc	67%	56%	83%	82%	83%	82%	82%	79%	74%	80%	41%	70%	70%	70%	71%	61%	75%	61%	78%	66%	66%	64%

Traits Observed:  
GL,CE,BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

\$INDEX VALUES

\$A

\$A-L

\$231

\$404

Purchaser:

\$:



Lot 5

BONGONGO U571<sup>PV</sup>

NGX23U571

Calved: 30/7/2023

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: HBR

RENNYLEA L519<sup>PV</sup>

RENNYLEA L519<sup>PV</sup>

Sire: NGXR288 BONGONGO R288<sup>SV</sup>


Dam: NGXP1370 BONGONGO P1370<sup>SV</sup>

BONGONGO L399<sup>#</sup>

BONGONGO E584<sup>#</sup>

Structural Assessment 2025/02/28

F	R	F	R			Temp.	Sheath
5	5	5	6	5	5	4	1

 TACE	April 2025 TransTasman Angus Cattle Evaluation																					
	CEDir	CEDtr	GL	BW	200	400	600	MCW	Milk	SS	DtC	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	+71	+2.9	-6.8	+2.5	+44	+79	+101	+87	+15	+2.3	-4.0	+66	+2.8	+1.6	+0.9	-0.2	+2.2	+0.58	+21	+0.44	+0.90	+1.26
Acc	67%	59%	82%	82%	83%	81%	82%	79%	75%	79%	46%	71%	71%	70%	71%	62%	75%	63%	76%	61%	63%	60%

Traits Observed:

BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

\$INDEX VALUES

\$A	\$A-L
\$165	\$298

Lot 6

BONGONGO U1527<sup>PV</sup>

NGX23U1527

Calved: 3/9/2023

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR

BALDRIDGE FORECASTER B160<sup>PV</sup>

MILLAH MURRAH LOCH UP L133<sup>PV</sup>

Sire: USA19563587 BALDRIDGE VERSATILE<sup>PV</sup>


Dam: NGXN816 BONGONGO N816<sup>SV</sup>

BALDRIDGE BLACKBIRD A030<sup>#</sup>

BONGONGO H592<sup>#</sup>

Structural Assessment 2025/02/28

F	R	F	R			Temp.	Sheath
6	6	6	5	6	6	4	1

 TACE	April 2025 TransTasman Angus Cattle Evaluation																					
	CEDir	CEDtr	GL	BW	200	400	600	MCW	Milk	SS	DtC	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	+7.0	+3.1	-8.7	+2.8	+62	+113	+149	+121	+20	+1.1	-5.6	+82	+6.2	-3.5	-3.3	+0.1	+3.6	-0.21	+24	+0.98	+1.10	+0.92
Acc	67%	56%	83%	82%	83%	82%	82%	78%	74%	80%	44%	71%	71%	70%	71%	63%	75%	62%	78%	72%	72%	65%

Traits Observed:

GL,BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

\$INDEX VALUES

\$A	\$A-L
\$250	\$426

Lot 7

BONGONGO U1626<sup>PV</sup>

NGX23U1626

Calved: 2/9/2023

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR

LAWSON'S MOMENTOUS M518<sup>PV</sup>

BONGONGO J732<sup>SV</sup>

Sire: CSWQ011 MURDEDUKE QUARTERBACK Q011<sup>PV</sup>


Dam: NGXM298 BONGONGO M298<sup>SV</sup>

MURDEDUKE BARUNAH N026<sup>PV</sup>

BONGONGO F069<sup>#</sup>

Structural Assessment 2025/02/28

F	R	F	R			Temp.	Sheath
6	6	6	6	5	5	4	1

 TACE	April 2025 TransTasman Angus Cattle Evaluation																					
	CEDir	CEDtr	GL	BW	200	400	600	MCW	Milk	SS	DtC	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	+8.9	+2.4	-5.4	+3.0	+50	+92	+118	+91	+20	+1.5	-7.2	+68	+1.8	+1.5	+1.3	-1.0	+5.4	+0.09	+39	+0.80	+1.08	+1.14
Acc	69%	61%	83%	82%	83%	82%	82%	80%	76%	80%	47%	73%	72%	72%	73%	64%	76%	64%	77%	68%	68%	67%

Traits Observed:

GL,BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

\$INDEX VALUES

\$A	\$A-L
\$236	\$389

Lot 8

BONGONGO U442<sup>PV</sup>

NGX23U442

Calved: 9/8/2023

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR

RENNYLEA L508<sup>PV</sup>

PATHFINDER PHAT CAT P516<sup>SV</sup>

Sire: NGXP212 BONGONGO P212<sup>PV</sup>


Dam: NGX21S1304 BONGONGO S1304<sup>PV</sup>

BONGONGO L13<sup>PV</sup>

BONGONGO N29<sup>SV</sup>

Structural Assessment 2025/02/28

F	R	F	R			Temp.	Sheath
6	5	5	5	5	5	4	1

 TACE	April 2025 TransTasman Angus Cattle Evaluation																					
	CEDir	CEDtr	GL	BW	200	400	600	MCW	Milk	SS	DtC	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	+3.3	+8.6	-5.1	+3.9	+56	+95	+121	+79	+23	+4.6	-9.5	+65	+7.8	-1.9	-0.6	+0.5	+4.9	+0.64	+6	+0.90	+0.86	+1.08
Acc	65%	56%	83%	82%	83%	81%	82%	80%	75%	79%	45%	73%	72%	72%	73%	63%	77%	66%	76%	65%	65%	64%

Traits Observed:

GL,CE,BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

\$INDEX VALUES

\$A	\$A-L
\$301	\$461



# THE AUTUMN SALE BULLS

## Lot 9 BONGONGO U1390<sup>PV</sup>

NGX23U1390

Calved: 2/9/2023

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: HBR


SYDGEN ENHANCE<sup>SV</sup>

MILWILLAH GATSBY G279<sup>PV</sup>

Sire: USA19356243 BALDRIDGE SR GOALKEEPER<sup>PV</sup>  
BALDRIDGE ISABEL E030<sup>#</sup>

Dam: NGXN165 BONGONGO N165<sup>SV</sup>  
BONGONGO H403<sup>#</sup>

Structural Assessment 2025/02/28							
F	R	F	R	F	R	Temp.	Sheath
6	5	5	5	5	6	5	1

 TACE Trans Tasman Angus Cattle Evaluation	April 2025 TransTasman Angus Cattle Evaluation																					
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	-4.6	-4.2	-1.8	+4.6	+63	+107	+137	+104	+24	+2.0	-3.2	+78	+8.5	+0.7	+0.3	+0.1	+4.0	+0.32	+15	+0.98	+0.80	+0.94
Acc	69%	59%	83%	82%	84%	82%	82%	80%	76%	80%	45%	71%	71%	71%	72%	64%	75%	62%	78%	70%	70%	68%

Traits Observed:

GL,BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

\$INDEX VALUES

\$A

\$231

\$A-L

\$361

## Lot 10 BONGONGO U478<sup>PV</sup>

NGX23U478

Calved: 20/8/2023

Genetic Status: AMF,CAF,DDC,NHF

Reg'n Level: APR


BALDRIDGE FORECASTER B160<sup>PV</sup>

RENNYLEA KODAK K522<sup>SV</sup>

Sire: USA19563587 BALDRIDGE VERSATILE<sup>PV</sup>  
BALDRIDGE BLACKBIRD A030<sup>#</sup>

Dam: NGX21S798 BONGONGO S798<sup>PV</sup>  
BONGONGO N1142<sup>SV</sup>

Structural Assessment 2025/02/28							
F	R	F	R	F	R	Temp.	Sheath
6	5	5	5	5	5	4	1

 TACE	April 2025 TransTasman Angus Cattle Evaluation																					
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	-3.3	-3.4	-2.1	+5.8	+73	+122	+154	+148	+14	+3.1	-3.7	+83	+4.3	-3.3	-4.2	-0.9	+5.6	-0.29	+37	+0.76	+0.86	+0.96
Acc	67%	55%	82%	82%	83%	81%	81%	78%	74%	79%	42%	70%	70%	69%	70%	61%	74%	61%	77%	71%	71%	66%

Traits Observed:

GL,CE,BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

\$INDEX VALUES

\$A

\$218

\$A-L

\$387

## Lot 11 BONGONGO U410<sup>PV</sup>

NGX23U410

Calved: 4/8/2023

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: HBR


PARINGA MONARCH M103<sup>PV</sup>

MURDEDUKE QUARTERBACK Q011<sup>PV</sup>

Sire: NZE145720190485 RISSINGTON SOVEREIGN Q485<sup>PV</sup>  
ELLERTON 17009<sup>PV</sup>

Dam: NGX21S832 BONGONGO S832<sup>PV</sup>  
BONGONGO M133<sup>PV</sup>

Structural Assessment 2025/02/28							
F	R	F	R	F	R	Temp.	Sheath
6	5	5	5	6	6	5	1

 TACE Trans Tasman Angus Cattle Evaluation	April 2025 TransTasman Angus Cattle Evaluation																					
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	+10.2	+7.7	-8.8	+0.9	+58	+107	+138	+81	+31	+31	-6.4	+87	+21	+11	+0.8	-1.5	+5.5	+0.25	+16	+0.76	+0.90	+110
Acc	69%	57%	83%	82%	83%	82%	82%	79%	74%	80%	42%	70%	70%	70%	71%	61%	74%	64%	78%	68%	68%	67%

Traits Observed:

GL,CE,BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

\$INDEX VALUES

\$A

\$262

\$A-L

\$420

## Lot 12 BONGONGO U1799<sup>PV</sup>

NGX23U1799

Calved: 3/8/2023

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR


PARINGA MONARCH M103<sup>PV</sup>

KO PROCEED N21<sup>PV</sup>

Sire: NZE145720190485 RISSINGTON SOVEREIGN Q485<sup>PV</sup>  
ELLERTON 17009<sup>PV</sup>

Dam: NGX21S998 BONGONGO S998<sup>PV</sup>  
BONGONGO M602<sup>SV</sup>

Structural Assessment 2025/02/28							
F	R	F	R	F	R	Temp.	Sheath
5	5	5	5	5	6	4	1

 TACE	April 2025 TransTasman Angus Cattle Evaluation																					
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	+1.9	+0.2	-4.4	+4.3	+55	+92	+120	+108	+14	+2.3	-5.6	+73	+5.9	-1.4	-3.5	+0.1	+4.3	+0.53	-8	+0.76	+0.76	+0.96
Acc	68%	56%	83%	82%	84%	82%	82%	79%	74%	80%	41%	70%	71%	70%	71%	61%	75%	64%	78%	67%	67%	64%

Traits Observed:

GL,BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

\$INDEX VALUES

\$A

\$213

\$A-L

\$361



Lot 13

BONGONGO U561<sup>PV</sup>

NGX23U561

Calved: 13/8/2023

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR

RENNYLEAN N542<sup>PV</sup>

Sire: CGKR163 ALPINE REAL DEAL R163<sup>PV</sup>

ALPINE LONGSHOT P354<sup>PV</sup>

KO PROCEED N21<sup>PV</sup>

Dam: NGXR619 BONGONGO R619<sup>SV</sup>

BONGONGO E83<sup>#</sup>

Structural Assessment 2025/02/28

F	R	F	R			Temp.	Sheath
6	6	6	5	5	6	4	1

TACE

April 2025 Trans Tasman Angus Cattle Evaluation

CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg	
EBV	+0.3	+3.2	-6.2	+5.0	+58	+100	+129	+133	+9	+1.9	-5.7	+65	+5.9	+0.0	+0.6	+0.0	+2.7	+0.12	+13	+0.90	+0.90	+1.06
Acc	65%	54%	82%	82%	83%	81%	81%	78%	73%	78%	40%	69%	69%	69%	70%	61%	73%	60%	75%	67%	67%	64%

Traits Observed:

BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

\$INDEX VALUES

\$A	\$A-L
\$212	\$383

Lot 14

BONGONGO U494<sup>PV</sup>

NGX23U494

Calved: 21/8/2023

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR

RENNYLEAN N542<sup>PV</sup>

Sire: CGKR163 ALPINE REAL DEAL R163<sup>PV</sup>

ALPINE LONGSHOT P354<sup>PV</sup>

KO B074 BEAST MODE P117<sup>PV</sup>

Dam: NGX21S507 BONGONGO S507<sup>PV</sup>

BONGONGO P945<sup>PV</sup>

Structural Assessment 2025/02/28

F	R	F	R			Temp.	Sheath
6	5	5	5	5	6	5	1

TACE

April 2025 Trans Tasman Angus Cattle Evaluation

CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg	
EBV	-1.9	+2.8	-2.2	+5.1	+65	+112	+140	+122	+12	+3.1	-7.2	+75	+9.8	+0.3	+1.1	-0.2	+4.0	+0.48	+5	+0.56	+0.60	+0.80
Acc	66%	55%	83%	82%	83%	81%	82%	79%	74%	79%	41%	70%	70%	69%	70%	61%	74%	61%	77%	68%	68%	66%

Traits Observed:

CE,BWT,200WT,400WT,Scan(Rib,Rump,IMF),Genomics

Purchaser:

\$:

\$INDEX VALUES

\$A	\$A-L
\$269	\$443

Lot 15

BONGONGO U1503<sup>PV</sup>

NGX23U1503

Calved: 5/9/2023

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR

BALDRIDGE FORECASTER B160<sup>PV</sup>

Sire: USA19563587 BALDRIDGE VERSATILE<sup>PV</sup>

BALDRIDGE BLACKBIRD A030<sup>#</sup>

LAWSON'S PROSPERITY H382<sup>SV</sup>

Dam: NGXN401 BONGONGO N401<sup>PV</sup>

BONGONGO L626<sup>SV</sup>

Structural Assessment 2025/02/28

F	R	F	R			Temp.	Sheath
6	5	6	6	6	6	4	1

TACE

April 2025 Trans Tasman Angus Cattle Evaluation

CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg	
EBV	+5.4	+1.8	-5.3	+3.4	+54	+93	+123	+93	+19	+2.3	-5.4	+58	+5.1	+0.4	-0.6	-0.5	+4.0	-0.05	+41	+0.88	+112	+1.08
Acc	67%	55%	83%	82%	83%	82%	82%	79%	74%	80%	42%	70%	70%	70%	61%	74%	61%	77%	68%	68%	61%	

Traits Observed:

GL,BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

\$INDEX VALUES

\$A	\$A-L
\$221	\$369

Lot 16

BONGONGO U393<sup>PV</sup>

NGX23U393

Calved: 9/8/2023

Genetic Status: AMF,CAF,DDC,NHF

Reg'n Level: HBR

LAWSON'S MOMENTOUS M518<sup>PV</sup>

Sire: CSWQ011 MURDEDUKE QUARTERBACK Q011<sup>PV</sup>

MURDEDUKE BARUNAH N026<sup>PV</sup>

MILLAH MURRAH PARATROOPER P15<sup>PV</sup>

Dam: NGX21S1148 BONGONGO S1148<sup>SV</sup>

BONGONGO N809<sup>#</sup>

Structural Assessment 2025/02/28

F	R	F	R			Temp.	Sheath
5	5	6	5	5	5	5	1

TACE

April 2025 Trans Tasman Angus Cattle Evaluation

CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg	
EBV	+4.5	+4.0	-7.4	+4.0	+61	+104	+143	+117	+28	+4.5	-5.0	+88	+1.7	-0.5	+0.9	-1.2	+4.1	+0.42	+42	+0.60	+0.80	+0.98
Acc	69%	62%	83%	82%	83%	82%	82%	80%	76%	80%	47%	72%	71%	71%	72%	63%	75%	64%	78%	70%	70%	69%

Traits Observed:

GL,BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

\$INDEX VALUES

\$A	\$A-L
\$218	\$385




# THE AUTUMN SALE BULLS

## Lot 17 BONGONGO U472<sup>PV</sup> NGX23U472

Calved: 18/8/2023	Genetic Status: AMF,CAF,DDF,NHF	Reg'n Level: APR
LAWSON'S MOMENTOUS M518 <sup>PV</sup>	MILLAH MURRAH PARATROOPER P15 <sup>PV</sup>	
Sire: CSWQ011 MURDEDUKE QUARTERBACK Q011 <sup>PV</sup>	Dam: NGX21S1154 BONGONGO S1154 <sup>PV</sup>	
MURDEDUKE BARUNAH N026 <sup>PV</sup>	BONGONGO N1387 <sup>E</sup>	

Structural Assessment 2025/02/28								Temp.	Sheath
F	R	F	R	F	R	F	R		
6	5	6	5	6	6	4	1		


 TACE	April 2025 Trans Tasman Angus Cattle Evaluation																					
	CEDir	CEDtr	GL	BW	200	400	600	MCW	Milk	SS	DtC	CWT	EMA	Rib	Rump	RBV%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	+4.9	+1.3	-8.1	+3.3	+60	+109	+141	+132	+22	+3.5	-7.8	+71	+0.1	+2.0	+1.5	-1.9	+5.9	+0.80	+26	+0.48	+1.02	+0.96
Acc	70%	62%	83%	82%	83%	81%	82%	80%	76%	80%	47%	72%	71%	71%	72%	63%	75%	64%	78%	70%	70%	69%

Traits Observed:	\$INDEX VALUES
CE,BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics	\$A \$A-L
Purchaser:	\$235 \$425

## Lot 18 BONGONGO U1230<sup>SV</sup> NGX23U1230

Calved: 1/9/2023	Genetic Status: AMF,CAF,DDF,NHF	Reg'n Level: APR
LAWSON'S MOMENTOUS M518 <sup>PV</sup>	SILVEIRAS CONVERSION 8064 <sup>*</sup>	
Sire: CSWQ011 MURDEDUKE QUARTERBACK Q011 <sup>PV</sup>	Dam: NGXM79 BONGONGO M79 <sup>*</sup>	
MURDEDUKE BARUNAH N026 <sup>PV</sup>	TUWHARETOA D4 <sup>SV</sup>	

Structural Assessment 2025/02/28								Temp.	Sheath
F	R	F	R	F	R	F	R		
6	5	6	6	5	5	4	1		


 TACE Trans Tasman Angus Cattle Evaluation	April 2025 Trans Tasman Angus Cattle Evaluation																						
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	Dt C	CWT	EMA	Rib	Rump	RBV%	IMF%	NFI-F	Doc	Claw	Angle	Leg	
	EBV	+3.7	-0.1	-4.4	+4.1	+53	+101	+124	+94	+19	+4.0	-6.8	+74	+2.6	+3.1	+3.4	-1.4	+4.4	+0.60	+16	+0.74	+0.84	+0.94
	Acc	70%	62%	83%	82%	84%	82%	82%	80%	77%	80%	49%	73%	73%	72%	73%	65%	76%	65%	78%	70%	70%	69%

Traits Observed:	\$INDEX VALUES
BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics	\$A \$A-L
Purchaser:	\$230 \$386

## Lot 19 BONGONGO U1362<sup>PV</sup> NGX23U1362

Calved: 30/8/2023	Genetic Status: AMF,CAF,DDF,NHF	Reg'n Level: APR
BALDRIDGE BEAST MODE B074 <sup>PV</sup>	MILWILLAH GATSBY G279 <sup>PV</sup>	
Sire: NGXR1054 BONGONGO R1054 <sup>SV</sup>	Dam: NGXN188 BONGONGO N188 <sup>SV</sup>	
BONGONGO J692 <sup>*</sup>	BONGONGO F200 <sup>*</sup>	

Structural Assessment 2025/02/28								Temp.	Sheath
F	R	F	R	F	R	F	R		
6	5	5	6	6	6	5	1		


 TACE	April 2025 TransTasman Angus Cattle Evaluation																					
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	Dt C	CWT	EMA	Rib	Rump	RBV%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	+2.2	+2.8	-2.8	+2.6	+46	+88	+117	+78	+20	+1.9	-4.0	+73	+5.5	-0.7	+0.1	-0.2	+5.4	+0.54	+18	+0.54	+0.82	+0.88
Acc	66%	57%	81%	81%	82%	81%	81%	78%	74%	78%	44%	70%	69%	69%	70%	61%	74%	61%	75%	65%	65%	64%

Traits Observed:	\$INDEX VALUES
BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics	\$A \$A-L
Purchaser:	\$220 \$347

## Lot 20 BONGONGO U842<sup>PV</sup> NGX23U842

Calved: 19/8/2023	Genetic Status: AMF,CAF,DDF,NHF	Reg'n Level: APR
G A R PROPHET <sup>SV</sup>	BONGONGO N444 <sup>PV</sup>	
Sire: NZCR57 KO PROPHET R57 <sup>SV</sup>	Dam: NGXQ409 BONGONGO Q409 <sup>SV</sup>	
KO DREAM P3 <sup>*</sup>	BONGONGO N702 <sup>*</sup>	

Structural Assessment 2025/02/28								Temp.	Sheath
F	R	F	R	F	R	F	R		
6	5	5	5	5	5	5	1		

 TACE	April 2025 TransTasman Angus Cattle Evaluation																						
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	Dt C	CWT	EMA	Rib	Rump	RBV%	IMF%	NFI-F	Doc	Claw	Angle	Leg	
	EBV	+4.3	+3.0	-3.6	+2.3	+52	+88	+109	+101	+13	+0.3	-4.8	+66	+0.1	+3.8	+11	-1.2	+3.9	-0.17	+14	+0.68	+0.78	+1.12
	Acc	64%	55%	81%	81%	82%	80%	80%	77%	73%	77%	42%	69%	69%	69%	70%	60%	74%	62%	74%	65%	65%	63%

Traits Observed:	\$INDEX VALUES
BWT,200WT,400WT,Scan(Rib,Rump,IMF),Genomics	\$A \$A-L
Purchaser:	\$188 \$334



## Lot 21 BONGONGO U738 <sup>PV</sup>

NGX23U738

Calved: 21/8/2023


Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR

DUNOON NEWCOMER N394<sup>SV</sup>  
Sire: BHRQ1163 DUNOON QUICK DRAW MCGRAW Q1163<sup>SV</sup>  
DUNOON PRINCESS K074<sup>#</sup>

LANDFALL NEW GROUND N90<sup>PV</sup>  
Dam: NGXR571 BONGONGO R571<sup>SV</sup>  
BONGONGO N273<sup>#</sup>

Structural Assessment 2025/02/28								Temp.	Sheath
F	R	F	R	F	R	F	R	5	1
5	5	5	5	6	6	5	1		

 TACE Trans Tasman Angus Cattle Evaluation	April 2025 TransTasman Angus Cattle Evaluation																						
	CEDir	CEDtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg	
	EBV	-4.2	+0.1	-5.4	+4.5	+57	+107	+136	+106	+12	+2.6	-2.8	+9.1	+14.3	-1.1	-3.2	+1.2	+3.1	+0.76	+28	+0.98	+0.72	+0.80
	Acc	65%	55%	83%	82%	83%	81%	81%	78%	73%	78%	41%	69%	69%	69%	70%	61%	73%	60%	76%	64%	65%	61%

Traits Observed:  
GL,BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

INDEX VALUES	
\$A	\$A-L
\$224	\$360

## Lot 22 BONGONGO U1438 <sup>PV</sup>

NGX23U1438

Calved: 20/8/2023


Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR

DUNOON NEWCOMER N394<sup>SV</sup>  
Sire: BHRQ1163 DUNOON QUICK DRAW MCGRAW Q1163<sup>SV</sup>  
DUNOON PRINCESS K074<sup>#</sup>

BONGONGO L18<sup>SV</sup>  
Dam: NGXR876 BONGONGO R876<sup>SV</sup>  
BONGONGO H768<sup>#</sup>

Structural Assessment 2025/02/28								Temp.	Sheath
F	R	F	R	F	R	F	R	5	1
6	5	5	5	5	6	5	1		

 TACE Trans Tasman Angus Cattle Evaluation	April 2025 TransTasman Angus Cattle Evaluation																						
	CEDir	CEDtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg	
	EBV	+0.4	-0.3	-4.3	+4.8	+59	+110	+151	+143	+19	+2.2	-4.5	+80	+6.9	-1.8	-2.5	+0.3	+51	+0.53	+7	+114	+0.90	+0.98
	Acc	63%	52%	82%	81%	82%	80%	80%	77%	72%	78%	40%	68%	69%	68%	69%	60%	73%	60%	75%	64%	65%	61%

Traits Observed:  
GL,BWT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

INDEX VALUES	
\$A	\$A-L
\$229	\$404

## Lot 23 BONGONGO U756 <sup>PV</sup>

NGX23U756

Calved: 20/8/2023


Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR

DUNOON NEWCOMER N394<sup>SV</sup>  
Sire: BHRQ1163 DUNOON QUICK DRAW MCGRAW Q1163<sup>SV</sup>  
DUNOON PRINCESS K074<sup>#</sup>

BONGONGO L80<sup>PV</sup>  
Dam: NGXR961 BONGONGO R961<sup>SV</sup>  
BONGONGO N715<sup>#</sup>

Structural Assessment 2025/02/28								Temp.	Sheath
F	R	F	R	F	R	F	R	5	1
5	6	5	6	5	5	5	1		

 TACE	April 2025 TransTasman Angus Cattle Evaluation																					
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	-8.6	-2.8	-4.6	+6.1	+53	+100	+120	+122	+16	+1.8	-2.2	+6.0	+6.8	+0.6	-1.1	+0.8	+2.8	+0.53	+16	+0.80	+0.70	+0.88
Acc	63%	52%	82%	81%	82%	80%	81%	77%	72%	78%	40%	69%	69%	69%	70%	60%	73%	60%	75%	64%	65%	63%

Traits Observed:  
GL,BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

INDEX VALUES	
\$A	\$A-L
\$164	\$290

## Lot 24 BONGONGO U527 <sup>PV</sup>

NGX23U527

Calved: 10/9/2023


Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR

RENNYLEAN N542<sup>PV</sup>  
Sire: CGKR163 ALPINE REAL DEAL R163<sup>PV</sup>  
ALPINE LONGSHOT P354<sup>PV</sup>

KO B074 BEAST MODE P117<sup>PV</sup>  
Dam: NGX21S537 BONGONGO S537<sup>PV</sup>  
BONGONGO P1033<sup>SV</sup>

Structural Assessment 2025/02/28								Temp.	Sheath
F	R	F	R	F	R	F	R	5	1
5	5	5	6	5	6	5	1		

 TACE	April 2025 TransTasman Angus Cattle Evaluation																					
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	+3.6	+1.1	-1.5	+2.7	+58	+106	+136	+111	+21	+3.1	-4.4	+76	+7.1	+0.4	+1.2	-0.4	+3.3	+0.37	+25	+0.62	+0.92	+1.06
Acc	67%	56%	83%	83%	84%	82%	82%	79%	75%	80%	42%	70%	71%	70%	71%	62%	75%	62%	77%	67%	67%	64%

Traits Observed:  
CE,BWT,200WT,400WT,Scan(IMF),Genomics

Purchaser:

\$:

INDEX VALUES	
\$A	\$A-L
\$226	\$386



# THE AUTUMN SALE BULLS

## Lot 25 BONGONGO U1099<sup>PV</sup>

NGX23U1099

Calved: 18/9/2023

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR

LAWSON'S MOMENTOUS M518<sup>PV</sup>


BONGONGO H137<sup>SV</sup>

Sire: CSWQ011 MURDEDUKE QUARTERBACK Q011<sup>PV</sup> Dam: NGXK723 BONGONGO K723<sup>PV</sup>

MURDEDUKE BARUNAH N026<sup>PV</sup>

BONGONGO F405<sup>PV</sup>

Structural Assessment 2025/02/28							
F	R	F	R	F	R	Temp.	Sheath
6	5	5	5	6	6	5	1

 TACE	April 2025 TransTasman Angus Cattle Evaluation																					
	CEDir	CEDtr	GL	BW	200	400	600	MCW	Milk	SS	DtC	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	+5.9	+2.1	-5.4	+2.4	+50	+96	+120	+61	+28	+3.5	-5.4	+80	+4.0	+1.7	+2.0	-1.0	+5.5	+0.47	+23	+0.72	+1.00	+1.04
Acc	70%	62%	83%	83%	84%	82%	83%	80%	77%	80%	48%	73%	72%	72%	73%	64%	76%	65%	79%	67%	67%	67%

Traits Observed:

BWT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

INDEX VALUES	
\$A	\$A-L
\$247	\$379

## Lot 26 BONGONGO U562<sup>PV</sup>

NGX23U562

Calved: 1/8/2023

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR

RENNYLEA L519<sup>PV</sup>

MATAURI REALITY 839<sup>F</sup>


Sire: NGXR288 BONGONGO R288<sup>SV</sup>

Dam: NGXP405 BONGONGO P405<sup>SV</sup>

BONGONGO L399<sup>F</sup>

BONGONGO M686<sup>F</sup>

Structural Assessment 2025/02/28							
F	R	F	R	F	R	Temp.	Sheath
5	5	6	6	6	6	4	1

 TACE	April 2025 TransTasman Angus Cattle Evaluation																					
	CEDir	CEDtr	GL	BW	200	400	600	MCW	Milk	SS	DtC	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	+5.7	+4.1	-7.7	+1.9	+43	+89	+112	+93	+19	+0.7	-2.6	+74	+3.5	+3.1	+5.0	-0.7	+4.1	+0.58	+8	+0.88	+1.14	+1.24
Acc	65%	57%	82%	81%	82%	80%	81%	78%	74%	78%	45%	69%	69%	69%	70%	61%	74%	61%	75%	66%	66%	65%

Traits Observed:

BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

INDEX VALUES	
\$A	\$A-L
\$192	\$334

## Lot 27 BONGONGO U399<sup>PV</sup>

NGX23U399

Calved: 9/8/2023

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR

BALDRIDGE ALTERNATIVE E125<sup>PV</sup>

LANDFALL NEW GROUND N90<sup>PV</sup>


Sire: BLA21S48 KNOWLA SO RIGHT S48<sup>PV</sup>

Dam: NGX21S1127 BONGONGO S1127<sup>SV</sup>

KNOWLA DESIGNER L21<sup>SV</sup>

BONGONGO L1050<sup>F</sup>

Structural Assessment 2025/02/28							
F	R	F	R	F	R	Temp.	Sheath
6	5	5	5	5	5	5	1

 TACE	April 2025 TransTasman Angus Cattle Evaluation																					
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	+5.7	+4.7	-2.1	+3.1	+46	+90	+114	+90	+17	+3.1	-4.5	+63	+6.9	+2.2	+3.0	-0.2	+3.0	+0.58	+29	+0.70	+0.94	+1.06
Acc	67%	56%	83%	82%	83%	81%	82%	78%	74%	80%	42%	70%	70%	69%	70%	61%	74%	61%	78%	68%	68%	66%

Traits Observed:

GL,BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

INDEX VALUES	
\$A	\$A-L
\$208	\$356

## Lot 28 BONGONGO U417<sup>PV</sup>

NGX23U417

Calved: 6/8/2023

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR

BALDRIDGE ALTERNATIVE E125<sup>PV</sup>

BONGONGO L18<sup>SV</sup>


Sire: BLA21S48 KNOWLA SO RIGHT S48<sup>PV</sup>

Dam: NGX21S1107 BONGONGO S1107<sup>PV</sup>

KNOWLA DESIGNER L21<sup>SV</sup>

BONGONGO L645<sup>SV</sup>

Structural Assessment 2025/02/28							
F	R	F	R	F	R	Temp.	Sheath
5	5	5	5	6	6	4	1

 TACE	April 2025 Trans Tasman Angus Cattle Evaluation																					
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	-3.8	+4.5	-6.1	+5.0	+64	+102	+140	+122	+20	+2.0	-5.3	+94	-2.8	-0.4	-2.5	-0.2	+2.4	+0.02	+15	+0.78	+0.84	+1.10
Acc	66%	54%	83%	82%	83%	81%	81%	78%	73%	79%	40%	69%	70%	69%	70%	61%	74%	61%	77%	67%	67%	64%

Traits Observed:

GL,CE,BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

INDEX VALUES	
\$A	\$A-L
\$195	\$344



Lot 29

BONGONGO U612<sup>PV</sup>

NGX23U612

Calved: 11/8/2023

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR

BALDRIDGE ALTERNATIVE E125<sup>PV</sup>

Sire: BLA21S48 KNOWLA SO RIGHT S48<sup>PV</sup>

KNOWLA DESIGNER L21<sup>SV</sup>

BONGONGO P235<sup>PV</sup>

Dam: NGX21S1095 BONGONGO S1095<sup>PV</sup>

BONGONGO K450<sup>E</sup>

Structural Assessment 2025/02/28

F	R	F	R			Temp.	Sheath
6	6	7	6	5	5	4	1

TACE

April 2025 TransTasman Angus Cattle Evaluation

	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	+1.5	+0.7	-4.9	+4.6	+52	+96	+120	+112	+18	+2.1	-4.3	+65	+7.8	-0.1	+0.3	+0.0	+4.1	+0.35	+25	+0.78	+0.96	+0.78
Acc	65%	52%	83%	82%	83%	81%	81%	77%	73%	79%	39%	68%	69%	68%	69%	60%	73%	59%	77%	66%	66%	65%

Traits Observed:

GL,BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

\$INDEX VALUES

\$A	\$A-L
\$209	\$360

Lot 30

BONGONGO U499<sup>PV</sup>

NGX23U499

Calved: 22/8/2023

Genetic Status: AMF,CAF,DDC,NHF

Reg'n Level: APR

MURDEDUKE QUARTERBACK Q01<sup>PV</sup>

Sire: NGX21S1015 BONGONGO S1015<sup>PV</sup>

BONGONGO M418<sup>SV</sup>

MILWILLAH COMPLEMENT L7<sup>PV</sup>

Dam: NGX21S562 BONGONGO S562<sup>SV</sup>

BONGONGO J139<sup>F</sup>

Structural Assessment 2025/02/28

F	R	F	R			Temp.	Sheath
6	5	6	5	5	5	5	1

TACE

April 2025 TransTasman Angus Cattle Evaluation

	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	+8.8	+8.7	-9.3	+1.8	+50	+95	+115	+91	+13	+2.5	-7.6	+64	+2.8	+0.9	+2.1	-0.5	+3.4	+0.41	+15	+1.04	+0.92	+1.02
Acc	64%	56%	81%	80%	82%	80%	80%	77%	73%	78%	41%	69%	68%	68%	69%	59%	73%	61%	75%	64%	64%	61%

Traits Observed:

CE,BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

\$INDEX VALUES

\$A	\$A-L
\$241	\$408

Lot 31

BONGONGO U1280<sup>PV</sup>

NGX23U1280

Calved: 2/9/2023

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR

LAWSON'S MOMENTOUS M518<sup>PV</sup>

Sire: NGXQ227 BONGONGO BE QUICK Q227<sup>PV</sup>

BONGONGO N221<sup>SV</sup>

BONGONGO L80<sup>PV</sup>

Dam: NGXQ617 BONGONGO Q617<sup>SV</sup>

BONGONGO J757<sup>F</sup>

Structural Assessment 2025/02/28

F	R	F	R			Temp.	Sheath
6	5	5	5	5	5	4	1

TACE

April 2025 TransTasman Angus Cattle Evaluation

	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	+4.0	-3.8	-5.5	+4.2	+55	+101	+132	+111	+16	+0.4	-2.3	+7.1	+10.9	-0.1	+0.1	+1.1	+3.3	+0.48	+16	+0.84	+1.24	+1.08
Acc	64%	56%	82%	82%	83%	81%	81%	79%	74%	78%	45%	73%	72%	72%	73%	63%	76%	65%	76%	66%	66%	65%

Traits Observed:

BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

\$INDEX VALUES

\$A	\$A-L
\$230	\$374

Lot 32

BONGONGO U1283<sup>PV</sup>

NGX23U1283

Calved: 4/9/2023

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: HBR

LAWSON'S MOMENTOUS M518<sup>PV</sup>

Sire: NGXQ227 BONGONGO BE QUICK Q227<sup>PV</sup>

BONGONGO N221<sup>SV</sup>

BONGONGO L4<sup>E</sup>

Dam: NGXQ880 BONGONGO Q880<sup>SV</sup>

BONGONGO G423<sup>F</sup>

Structural Assessment 2025/02/28

F	R	F	R			Temp.	Sheath
6	6	6	6	6	6	5	1

TACE

April 2025 TransTasman Angus Cattle Evaluation

	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	+5.8	+2.7	-1.9	+2.9	+41	+81	+98	+82	+20	+1.3	-6.0	+5.4	+4.3	+0.4	+1.4	+0.0	+4.0	+0.61	+5	+0.98	+1.28	+1.08
Acc	64%	55%	82%	81%	82%	80%	81%	78%	73%	78%	44%	72%	71%	71%	72%	61%	76%	64%	75%	66%	66%	64%

Traits Observed:

BWT,200WT,400WT,Scan(Rib,Rump,IMF),Genomics

Purchaser:

\$:

\$INDEX VALUES

\$A	\$A-L
\$206	\$346





Lot 37

BONGONGO U633<sup>PV</sup>

NGX23U633

Calved: 28/8/2023

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR

KO B074 BEAST MODE P117<sup>PV</sup>

Sire: NGX21S332 BONGONGO S332<sup>PV</sup>

BONGONGO Q366<sup>SV</sup>

KO E7 BARTEL N91<sup>PV</sup>

Dam: NGX21S837 BONGONGO S837<sup>SV</sup>

BONGONGO M171<sup>#</sup>

Structural Assessment 2025/02/28

F	R	F	R			Temp.	Sheath
5	5	5	6	5	6	5	1

TACE

April 2025 TransTasman Angus Cattle Evaluation

	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	+8.1	+10.4	-5.2	+0.4	+45	+83	+97	+92	+11	+3.3	-5.0	+47	+5.7	+0.9	+0.2	-0.4	+4.2	+0.52	+16	+0.72	+0.62	+0.76
Acc	64%	54%	82%	82%	83%	81%	81%	78%	74%	79%	40%	69%	69%	69%	70%	60%	74%	61%	75%	60%	60%	56%

Traits Observed:

BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

\$INDEX VALUES

\$A	\$A-L
\$196	\$352

Lot 38

BONGONGO U605<sup>PV</sup>

NGX23U605

Calved: 10/8/2023

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR

BALDRIDGE ALTERNATIVE E125<sup>PV</sup>

Sire: BLA21S48 KNOWLA SO RIGHT S48<sup>PV</sup>

KNOWLA DESIGNER L21<sup>SV</sup>

KO B074 BEAST MODE P117<sup>PV</sup>

Dam: NGX21S951 BONGONGO S951<sup>PV</sup>

BONGONGO P649<sup>SV</sup>

Structural Assessment 2025/02/28

F	R	F	R			Temp.	Sheath
6	5	6	5	5	5	5	1

TACE

April 2025 TransTasman Angus Cattle Evaluation

	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	+3.7	+3.6	-4.0	+3.1	+52	+92	+115	+108	+12	+3.2	-4.8	+62	+7.5	+1.1	+0.7	+0.1	+3.0	+0.34	+27	-	-	-
Acc	61%	49%	83%	74%	75%	73%	73%	70%	64%	71%	37%	62%	63%	63%	64%	57%	67%	53%	70%	-	-	-

Traits Observed:

GL,BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF)

Purchaser:

\$:

\$INDEX VALUES

\$A	\$A-L
\$208	\$365

Lot 39

BONGONGO U395<sup>PV</sup>

NGX23U395

Calved: 9/8/2023

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR

BALDRIDGE ALTERNATIVE E125<sup>PV</sup>

Sire: BLA21S48 KNOWLA SO RIGHT S48<sup>PV</sup>

KNOWLA DESIGNER L21<sup>SV</sup>

LANDFALL NEW GROUND N90<sup>PV</sup>

Dam: NGX21S1111 BONGONGO S1111<sup>SV</sup>

BONGONGO L700<sup>#</sup>

Structural Assessment 2025/02/28

F	R	F	R			Temp.	Sheath
6	6	6	6	6	6	5	1

TACE

April 2025 TransTasman Angus Cattle Evaluation

	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	+8.1	+9.3	-6.0	+2.8	+59	+96	+124	+108	+15	+4.1	-5.9	+70	+9.8	-0.6	+0.6	+0.5	+2.4	+0.04	+16	+0.94	+0.92	+0.94
Acc	67%	56%	83%	82%	83%	82%	82%	79%	74%	80%	42%	70%	70%	69%	70%	61%	74%	61%	78%	67%	67%	64%

Traits Observed:

GL,BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

\$INDEX VALUES

\$A	\$A-L
\$247	\$420

Lot 40

BONGONGO U388<sup>PV</sup>

NGX23U388

Calved: 8/8/2023

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: HBR

RENNYLEA L508<sup>PV</sup>

Sire: NGXP212 BONGONGO P212<sup>PV</sup>

BONGONGO L13<sup>PV</sup>

PATHFINDER PHAT CAT P516<sup>SV</sup>

Dam: NGX21S1310 BONGONGO S1310<sup>SV</sup>

BONGONGO N129<sup>#</sup>

Structural Assessment 2025/02/28

F	R	F	R			Temp.	Sheath
6	5	6	5	5	5	5	1

TACE

April 2025 TransTasman Angus Cattle Evaluation

	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	+7.0	+6.5	-6.5	+2.2	+46	+85	+106	+68	+23	+3.6	-8.9	+57	+8.4	+0.0	+1.8	+1.0	+3.6	+0.43	+21	+0.78	+1.08	+0.90
Acc	65%	56%	83%	83%	84%	82%	82%	80%	76%	80%	46%	73%	73%	72%	74%	63%	77%	67%	77%	64%	64%	61%

Traits Observed:

GL,BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

\$INDEX VALUES

\$A	\$A-L
\$279	\$429

EBV FIGURES

Bongongo Angus Autumn Helmsman Sale - April 2025 TACE Analysis

Animal	Calving Ease			Birth		Growth		Maternal		Fertility		Carcass				Feed		Structural		Indexes					
	CEDir	CEDtrs	GL	BWT	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	RIB	P8	RBV	IMF	NFI-F	Doc	Claw	Angle	Leg	\$A	\$A-L	
1	NGX23U387	+9.5	+7.6	-5.3	+2.2	+66	+114	+138	+116	+10	+2.1	-3.9	+7.7	+7.0	+1.2	+2.8	-1.0	+3.6	+0.58	+33	+0.82	+0.96	+1.04	\$249	\$428
2	NGX23U572	+4.8	+2.3	-7.0	+2.7	+59	+105	+136	+131	+25	+3.0	-5.5	+86	+6.5	-2.1	-4.2	+0.5	+3.2	+0.00	+14	+0.92	+1.18	+1.14	\$218	\$394
3	NGX23U705	+3.9	+4.2	-5.1	+3.6	+55	+105	+138	+128	+12	+2.2	-6.1	+88	+8.7	-0.3	-1.8	+0.9	+2.6	+0.20	+42	+0.52	+0.96	+1.06	\$237	\$417
4	NGX23U447	-0.7	-2.9	-6.7	+5.2	+69	+117	+159	+149	+24	+2.0	-3.5	+93	+9.3	-1.5	-0.7	+0.1	+3.5	-0.24	+32	+0.98	+1.06	+1.00	\$231	\$404
5	NGX23U571	+7.1	+2.9	-6.8	+2.5	+44	+79	+101	+87	+15	+2.3	-4.0	+66	+2.8	+1.6	+0.9	-0.2	+2.2	+0.58	+21	+0.44	+0.90	+1.26	\$165	\$298
6	NGX23U1527	+7.0	+3.1	-8.7	+2.8	+62	+113	+149	+121	+20	+1.1	-5.6	+82	+6.2	-3.5	-3.3	+0.1	+3.6	-0.21	+24	+0.98	+1.10	+0.92	\$250	\$426
7	NGX23U1626	+8.9	+2.4	-5.4	+3.0	+50	+92	+118	+91	+20	+1.5	-7.2	+68	+1.8	+1.5	+1.3	-1.0	+5.4	+0.09	+39	+0.80	+1.08	+1.14	\$236	\$389
8	NGX23U442	+3.3	+8.6	-5.1	+3.9	+56	+95	+121	+79	+23	+4.6	-9.5	+65	+7.8	-1.9	-0.6	+0.5	+4.9	+0.64	+6	+0.90	+0.86	+1.08	\$301	\$461
9	NGX23U1390	-4.6	-4.2	-1.8	+4.6	+63	+107	+137	+104	+24	+2.0	-3.2	+78	+8.5	+0.7	+0.3	+0.1	+4.0	+0.32	+15	+0.98	+0.80	+0.94	\$231	\$361
10	NGX23U478	-3.3	-3.4	-2.1	+5.8	+73	+122	+154	+148	+14	+3.1	-3.7	+83	+4.3	-3.3	-4.2	-0.9	+5.6	-0.29	+37	+0.76	+0.86	+0.96	\$218	\$387
11	NGX23U410	+10.2	+7.7	-8.8	+0.9	+58	+107	+138	+81	+31	+3.1	-6.4	+87	+2.1	+1.1	+0.8	-1.5	+5.5	+0.25	+16	+0.76	+0.90	+1.10	\$262	\$420
12	NGX23U1799	+1.9	+0.2	-4.4	+4.3	+55	+92	+120	+108	+14	+2.3	-5.6	+73	+5.9	-1.4	-3.5	+0.1	+4.3	+0.53	-8	+0.76	+0.76	+0.96	\$213	\$361
13	NGX23U561	+0.3	+3.2	-6.2	+5.0	+58	+100	+129	+133	+9	+1.9	-5.7	+65	+5.9	+0.0	+0.6	+0.0	+2.7	+0.12	+13	+0.90	+0.90	+1.06	\$212	\$383
14	NGX23U494	-1.9	+2.8	-2.2	+5.1	+65	+112	+140	+122	+12	+3.1	-7.2	+75	+9.8	+0.3	+1.1	-0.2	+4.0	+0.48	+5	+0.56	+0.60	+0.80	\$269	\$443
15	NGX23U1503	+5.4	+1.8	-5.3	+3.4	+54	+93	+123	+93	+19	+2.3	-5.4	+58	+5.1	+0.4	-0.6	-0.5	+4.0	-0.05	+41	+0.88	+1.12	+1.08	\$221	\$369
16	NGX23U393	+4.5	+4.0	-7.4	+4.0	+61	+104	+143	+117	+28	+4.5	-5.0	+88	+1.7	-0.5	+0.9	-1.2	+4.1	+0.42	+42	+0.60	+0.80	+0.98	\$218	\$385
17	NGX23U472	+4.9	+1.3	-8.1	+3.3	+60	+109	+141	+132	+22	+3.5	-7.8	+71	+0.1	+2.0	+1.5	-1.9	+5.9	+0.80	+26	+0.48	+1.02	+0.96	\$235	\$425
18	NGX23U1230	+3.7	-0.1	-4.4	+4.1	+53	+101	+124	+94	+19	+4.0	-6.8	+74	+2.6	+3.1	+3.4	-1.4	+4.4	+0.60	+16	+0.74	+0.84	+0.94	\$230	\$386
19	NGX23U1362	+2.2	+2.8	-2.8	+2.6	+46	+88	+117	+78	+20	+1.9	-4.0	+73	+5.5	-0.7	+0.1	-0.2	+5.4	+0.54	+18	+0.54	+0.82	+0.88	\$220	\$347
20	NGX23U842	+4.3	+3.0	-3.6	+2.3	+52	+88	+109	+101	+13	+0.3	-4.8	+66	+0.1	+3.8	+1.1	-1.2	+3.9	-0.17	+14	+0.68	+0.78	+1.12	\$188	\$334
21	NGX23U738	-4.2	+0.1	-5.4	+4.5	+57	+107	+136	+106	+12	+2.6	-2.8	+91	+14.3	-1.1	-3.2	+1.2	+3.1	+0.76	+28	+0.98	+0.72	+0.80	\$224	\$360
22	NGX23U1438	+0.4	-0.3	-4.3	+4.8	+59	+110	+151	+143	+19	+2.2	-4.5	+80	+6.9	-1.8	-2.5	+0.3	+5.1	+0.53	+7	+1.14	+0.90	+0.98	\$229	\$404
23	NGX23U756	-8.6	-2.8	-4.6	+6.1	+53	+100	+120	+122	+16	+1.8	-2.2	+60	+6.8	+0.6	-1.1	+0.8	+2.8	+0.53	+16	+0.80	+0.70	+0.88	\$164	\$290
24	NGX23U527	+3.6	+1.1	-1.5	+2.7	+58	+106	+136	+111	+21	+3.1	-4.4	+76	+7.1	+0.4	+1.2	-0.4	+3.3	+0.37	+25	+0.62	+0.92	+1.06	\$226	\$386
25	NGX23U1099	+5.9	+2.1	-5.4	+2.4	+50	+96	+120	+61	+28	+3.5	-5.4	+80	+4.0	+1.7	+2.0	-1.0	+5.5	+0.47	+23	+0.72	+1.00	+1.04	\$247	\$379
26	NGX23U562	+5.7	+4.1	-7.7	+1.9	+43	+89	+112	+93	+19	+0.7	-2.6	+74	+3.5	+3.1	+5.0	-0.7	+4.1	+0.58	+8	+0.88	+1.14	+1.24	\$192	\$334
27	NGX23U399	+5.7	+4.7	-2.1	+3.1	+46	+90	+114	+90	+17	+3.1	-4.5	+63	+6.9	+2.2	+3.0	-0.2	+3.0	+0.58	+29	+0.70	+0.94	+1.06	\$208	\$356
28	NGX23U417	-3.8	+4.5	-6.1	+5.0	+64	+102	+140	+122	+20	+2.0	-5.3	+94	-2.8	-0.4	-2.5	-0.2	+2.4	+0.02	+15	+0.78	+0.84	+1.10	\$195	\$344
29	NGX23U612	+1.5	+0.7	-4.9	+4.6	+52	+96	+120	+112	+18	+2.1	-4.3	+65	+7.8	-0.1	+0.3	+0.0	+4.1	+0.35	+25	+0.78	+0.96	+0.78	\$209	\$360
30	NGX23U499	+8.8	+8.7	-9.3	+1.8	+50	+95	+115	+91	+13	+2.5	-7.6	+64	+2.8	+0.9	+2.1	-0.5	+3.4	+0.41	+15	+1.04	+0.92	+1.02	\$241	\$408
31	NGX23U1280	+4.0	-3.8	-5.5	+4.2	+55	+101	+132	+111	+16	+0.4	-2.3	+71	+10.9	-0.1	+0.1	+1.1	+3.3	+0.48	+16	+0.84	+1.24	+1.08	\$230	\$374
32	NGX23U1283	+5.8	+2.7	-1.9	+2.9	+41	+81	+98	+82	+20	+1.3	-6.0	+54	+4.3	+0.4	+1.4	+0.0	+4.0	+0.61	+5	+0.98	+1.28	+1.08	\$206	\$346
33	NGX23U445	+6.0	+6.0	-3.5	+2.3	+53	+104	+137	+113	+23	+3.9	-6.9	+79	+3.9	+0.5	+1.4	-0.6	+5.1	+0.45	+20	+0.66	+0.86	+1.12	\$248	\$429

April 2025 Breed Average EBVs

TACE		CEDirs		GL	BWT	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	RIB	P8	RBV	IMF	NFI-F	Doc	Angle	Leg	SA	SA-L
+2.3		+3.1		-4.6	+3.9	+52	+93	+121	+103	+17	+2.2	-4.8	+69	+6.6	+0.1	-0.2	+0.4	+2.5	+0.24	+21	+0.84	+1.02	+206	+352






# Bongongo Angus Autumn Helmsman Sale - April 2025 TACE Analysis

Animal	Calving Ease		Birth		Growth			Maternal			Fertility			Carcass				Feed		Structural			Indexes		
	CEDir	CEDirs	GL	BWT	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	RIB	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg	\$A	\$A-L	
34	NGX23U1645	+4.2	+0.4	-7.0	+1.6	+39	+75	+98	+60	+24	+0.3	-6.2	+61	+5.2	+1.6	+0.8	-0.1	+5.2	-0.26	+18	+0.88	+1.06	+0.78	\$223	\$339
35	NGX23U520	+4.3	+1.4	-4.9	+2.6	+54	+100	+130	+104	+20	+1.7	-6.0	+76	+8.4	+2.5	+1.8	-0.1	+3.7	+0.83	-2	+0.58	+0.68	+1.04	\$246	\$406
36	NGX23U743	-4.4	-3.0	-5.9	+5.2	+67	+115	+152	+154	+13	+3.2	-3.3	+77	+11.1	-2.3	-4.4	+1.0	+2.9	-0.07	+28	+0.88	+0.60	+0.82	\$209	\$377
37	NGX23U633	+8.1	+10.4	-5.2	+0.4	+45	+83	+97	+92	+11	+3.3	-5.0	+47	+5.7	+0.9	+0.2	-0.4	+4.2	+0.52	+16	+0.72	+0.62	+0.76	\$196	\$352
38	NGX23U605	+3.7	+3.6	-4.0	+3.1	+52	+92	+115	+108	+12	+3.2	-4.8	+62	+7.5	+1.1	+0.7	+0.1	+3.0	+0.34	+27	-	-	-	\$208	\$365
39	NGX23U395	+8.1	+9.3	-6.0	+2.8	+59	+96	+124	+108	+15	+4.1	-5.9	+70	+9.8	-0.6	+0.6	+0.5	+2.4	+0.04	+16	+0.94	+0.92	+0.94	\$247	\$420
40	NGX23U388	+7.0	+6.5	-6.5	+2.2	+46	+85	+106	+68	+23	+3.6	-8.9	+57	+8.4	+0.0	+1.8	+1.0	+3.6	+0.43	+21	+0.78	+1.08	+0.90	\$279	\$429
41	NGX23U517	+7.0	+7.7	-2.5	-0.4	+53	+98	+131	+95	+29	+2.4	-4.5	+74	+6.4	-0.4	-0.2	-0.8	+6.2	+0.27	+9	+0.86	+0.82	+0.92	\$239	\$396
42	NGX23U1467	+8.0	+4.4	-6.2	+2.8	+45	+80	+101	+72	+15	+3.1	-8.0	+68	+11.1	+1.2	+0.0	+0.4	+4.0	+0.91	-3	+0.66	+0.76	+1.00	\$248	\$392
43	NGX23U1522	+5.7	+4.4	-4.5	+1.1	+47	+87	+112	+85	+19	+1.1	-8.7	+78	+8.5	-1.1	-3.6	+0.6	+5.5	+0.32	+9	+0.60	+0.60	+0.78	\$265	\$420
44	NGX23U400	+0.9	-2.7	-6.7	+4.5	+60	+99	+120	+100	+17	+1.6	-6.7	+57	+0.2	-2.4	-2.9	-0.8	+5.2	-0.30	+37	+0.86	+0.88	+0.92	\$226	\$370
45	NGX23U385	+7.0	+8.9	-5.2	+2.9	+58	+101	+133	+107	+10	+1.5	-6.9	+80	+4.2	-0.6	-1.3	-0.3	+4.7	+0.15	+21	+0.90	+0.92	+1.12	\$260	\$435
46	NGX23U967	+10.0	+8.1	-7.9	+0.8	+52	+95	+118	+84	+15	+3.3	-6.3	+78	+0.8	+1.4	+2.6	-1.2	+4.8	+0.37	+13	+0.88	+0.82	+1.02	\$238	\$395
47	NGX23U617	+6.8	+3.2	-8.8	+3.4	+56	+103	+132	+112	+19	+2.7	-6.0	+76	+6.8	+1.3	+2.1	-0.8	+5.0	+0.12	+26	+1.00	+0.90	+1.04	\$246	\$419
48	NGX23U630	+3.2	+7.4	-5.7	+5.2	+61	+108	+141	+112	+19	+3.9	-8.7	+75	-4.0	+3.3	+5.1	-2.9	+6.6	+0.65	+27	+0.96	+0.94	+0.98	\$257	\$440
49	NGX23U1471	+4.5	-2.5	-4.2	+1.6	+47	+84	+106	+79	+18	+2.5	-5.4	+54	+5.6	+1.4	+1.9	+0.0	+4.1	+0.32	+14	+0.88	+0.82	+1.06	\$220	\$351
50	NGX23U1262	+6.0	+1.9	-7.4	+2.9	+45	+79	+99	+54	+15	+3.1	-6.9	+55	+10.6	+2.8	+2.9	+0.3	+3.8	+0.56	+11	+0.74	+1.22	+1.14	\$256	\$383
51	NGX23U1681	+10.6	+7.1	-1.3	+2.1	+37	+73	+88	+55	+23	+2.9	-8.3	+52	+5.8	+1.0	+1.6	+0.3	+4.1	+1.12	+31	+0.56	+0.88	+1.10	\$236	\$368
52	NGX23U1664	+2.6	+4.7	-4.0	+3.2	+49	+84	+104	+86	+17	+3.7	-5.7	+66	+11.4	-1.2	-0.7	+1.0	+4.2	+1.11	+10	+0.54	+0.94	+1.10	\$239	\$380
53	NGX23U456	+9.7	+8.4	-3.9	-1.3	+43	+83	+96	+83	+11	+4.1	-6.6	+31	+8.5	+3.2	+2.5	-0.2	+5.4	+0.82	+13	+0.76	+0.86	+0.82	\$236	\$395
54	NGX23U607	+7.5	+7.6	-3.0	+3.2	+53	+102	+117	+101	+11	+1.1	-7.0	+73	+7.8	-2.2	-2.0	+0.3	+4.0	+0.54	+23	+0.70	+0.92	+0.82	\$255	\$427
55	NGX23U443	+1.2	+2.8	-4.8	+3.5	+65	+109	+133	+92	+18	+4.1	-6.6	+77	+8.6	+0.4	+0.7	-0.4	+3.0	+0.04	+45	+0.86	+0.90	+0.78	\$267	\$422
56	NGX23U505	+0.3	+2.8	-5.5	+4.9	+61	+106	+143	+115	+19	+3.3	-4.8	+79	+7.6	-1.7	-0.2	-0.5	+4.1	+0.17	+25	+0.70	+0.72	+1.00	\$233	\$392
57	NGX23U995	+3.8	+1.7	-6.9	+4.7	+53	+97	+130	+127	+17	+2.5	-6.0	+74	+6.7	-1.5	-1.6	+0.9	+3.9	+0.10	+11	+0.70	+0.94	+1.06	\$231	\$402
58	NGX23U512	+8.8	+5.5	-7.1	+2.4	+52	+104	+137	+99	+20	+3.5	-7.5	+74	+6.5	+2.3	+2.3	-0.3	+2.4	+0.43	+29	+0.74	+0.92	+0.88	\$249	\$422
59	NGX23U753	+4.7	+6.9	-8.8	+3.0	+58	+90	+129	+93	+24	+1.6	-5.8	+68	+9.0	-1.1	-2.2	-0.6	+6.4	+0.12	+13	+0.68	+0.76	+1.12	\$256	\$407
60	NGX23U1573	+4.6	+6.3	-5.9	+2.5	+45	+85	+115	+66	+34	+4.0	-6.9	+67	+3.9	+0.7	+1.2	-0.5	+3.4	+0.48	+22	+0.92	+1.06	+1.08	\$222	\$357
61	NGX23U371	+5.2	+6.1	-8.5	+2.1	+49	+98	+125	+108	+16	+2.9	-6.0	+70	+5.3	+2.6	+3.8	-0.3	+3.0	+0.51	+35	+0.66	+0.74	+0.88	\$225	\$397
62	NGX23U823	+0.2	-5.0	-3.9	+5.5	+56	+98	+130	+124	+28	+3.0	-3.7	+86	+9.4	-1.6	-2.3	+1.6	+3.1	+0.05	-4	+1.00	+1.08	+1.10	\$213	\$359
63	NGX23U426	+6.2	+6.5	-6.0	+2.8	+41	+79	+93	+86	+8	+1.9	-5.6	+45	+5.7	+3.7	+4.5	-0.1	+2.8	+0.38	+33	+0.86	+0.92	+0.96	\$201	\$349
64	NGX23U461	+4.2	+7.7	-5.0	+2.9	+53	+92	+110	+109	+13	+2.7	-6.8	+60	+1.5	+1.3	+2.4	-0.9	+4.6	+0.92	+9	+0.80	+0.84	+0.94	\$223	\$393
65	NGX23U745	-0.1	+0.1	-6.9	+4.5	+53	+96	+129	+105	+15	+2.3	-6.1	+64	+10.4	-0.6	-0.6	+0.0	+4.5	+0.28	+25	+0.68	+0.72	+0.92	\$235	\$385
66	NGX23U1577	-1.2	+0.7	-5.5	+5.9	+73	+118	+152	+161	+14	+4.0	-5.3	+76	+10.1	-2.5	-4.1	+0.8	+2.7	-0.25	+21	+0.94	+0.80	+0.84	\$236	\$427

## April 2025 Breed Average EBVs

April 2025 Breed Average EBVs																										
 TACE <small>Translating Animal Data into Genetic Evaluation</small>			CEDir	CEDirs	GL	BWT	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	RIB	P8	RBY	IMF	NFI-F	Doc	Angle	Leg	\$A	\$A-L	
			+2.3	+3.1	-4.6	+3.9	+52	+93	+121	+103	+17	+2.2	-4.8	+69	+6.6	+0.1	-0.2	+0.4	+2.5	+0.24	+21	+0.84	+0.94	+1.02	+206	+352

# THE AUTUMN SALE BULLS

## Lot 41 BONGONGO U517<sup>PV</sup> NGX23U517

Calved: 21/8/2023


Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR

CLUNIE RANGE PLANTATION P392<sup>SV</sup>  
Sire: NGX21S1038 BONGONGO S1038<sup>SV</sup>  
BONGONGO M443<sup>F</sup>

PATHFINDER PHAT CAT P516<sup>SV</sup>  
Dam: NGX21S1296 BONGONGO S1296<sup>PV</sup>  
BONGONGO N28<sup>SV</sup>

Structural Assessment 2025/02/28							
F	R	F	R	F	R	Temp.	Sheath
5	6	5	6	5	6	5	1

 TACE	April 2025 TransTasman Angus Cattle Evaluation																					
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	+7.0	+7.7	-2.5	-0.4	+53	+98	+131	+95	+29	+2.4	-4.5	+74	+6.4	-0.4	-0.2	-0.8	+6.2	+0.27	+9	+0.86	+0.82	+0.92
Acc	65%	55%	82%	81%	82%	80%	81%	78%	74%	78%	41%	69%	69%	68%	70%	59%	74%	63%	75%	65%	65%	64%

Traits Observed:

CE,BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

INDEX VALUES	
\$A	\$A-L
\$239	\$396

## Lot 42 BONGONGO U1467<sup>PV</sup> NGX23U1467

Calved: 24/9/2023


Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR

GB FIREBALL 672<sup>PV</sup>  
Sire: NGX21S609 BONGONGO S609<sup>PV</sup>  
BONGONGO Q409<sup>SV</sup>

BONGONGO N444<sup>PV</sup>  
Dam: NGXR994 BONGONGO R994<sup>PV</sup>  
BONGONGO M947<sup>SV</sup>

Structural Assessment 2025/02/28							
F	R	F	R	F	R	Temp.	Sheath
5	5	5	6	6	6	5	1

 TACE	April 2025 TransTasman Angus Cattle Evaluation																					
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	+8.0	+4.4	-6.2	+2.8	+45	+80	+101	+72	+15	+3.1	-8.0	+68	+11.1	+1.2	+0.0	+0.4	+4.0	+0.91	-3	+0.66	+0.76	+1.00
Acc	64%	54%	81%	81%	82%	80%	80%	77%	72%	77%	39%	68%	68%	68%	69%	59%	73%	60%	73%	60%	60%	57%

Traits Observed:

BWT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

INDEX VALUES	
\$A	\$A-L
\$248	\$392

## Lot 43 BONGONGO U1522<sup>PV</sup> NGX23U1522

Calved: 9/10/2023


Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR

GB FIREBALL 672<sup>PV</sup>  
Sire: NGX21S609 BONGONGO S609<sup>PV</sup>  
BONGONGO Q409<sup>SV</sup>

BONGONGO F411<sup>SV</sup>  
Dam: NGXN231 BONGONGO N231<sup>SV</sup>  
BONGONGO E425<sup>F</sup>

Structural Assessment 2025/02/28							
F	R	F	R	F	R	Temp.	Sheath
6	5	5	5	6	5	5	1

 TACE	April 2025 TransTasman Angus Cattle Evaluation																					
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	+5.7	+4.4	-4.5	+1.1	+47	+87	+112	+85	+19	+1.1	-8.7	+7.8	+8.5	-1.1	-3.6	+0.6	+5.5	+0.32	+9	+0.60	+0.60	+0.78
Acc	65%	55%	82%	82%	83%	81%	81%	78%	74%	78%	41%	70%	70%	70%	71%	61%	75%	62%	74%	59%	60%	57%

Traits Observed:

BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

INDEX VALUES	
\$A	\$A-L
\$265	\$420

## Lot 44 BONGONGO U400<sup>PV</sup> NGX23U400

Calved: 10/8/2023


Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: HBR

BALDRIDGE FORECASTER B160<sup>PV</sup>  
Sire: USA19563587 BALDRIDGE VERSATILE<sup>PV</sup>  
BALDRIDGE BLACKBIRD A030<sup>F</sup>

LAWSON'S MOMENTOUS M518<sup>PV</sup>  
Dam: NGX21S1194 BONGONGO S1194<sup>PV</sup>  
BONGONGO K468<sup>SV</sup>

Structural Assessment 2025/02/28							
F	R	F	R	F	R	Temp.	Sheath
6	5	6	6	6	6	4	1

 TACE	April 2025 TransTasman Angus Cattle Evaluation																					
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	DtC	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	+0.9	-2.7	-6.7	+4.5	+60	+99	+120	+100	+17	+1.6	-6.7	+57	+0.2	-2.4	-2.9	-0.8	+5.2	-0.30	+37	+0.86	+0.88	+0.92
Acc	68%	58%	83%	82%	84%	82%	82%	79%	75%	80%	44%	71%	71%	71%	71%	62%	75%	63%	78%	70%	70%	64%

Traits Observed:

GL,BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

INDEX VALUES	
\$A	\$A-L
\$226	\$370

## Lot 45 BONGONGO U385<sup>PV</sup>

NGX23U385

Calved: 6/8/2023

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR

PARINGA MONARCH M103<sup>PV</sup>  
Sire: NZE145720190485 RISSINGTON SOVEREIGN Q485<sup>PV</sup>  
ELLERTON 17009<sup>PV</sup>

MILLAH MURRAH PARATROOPER P15<sup>PV</sup>  
Dam: NGX21S316 BONGONGO S316<sup>PV</sup>  
BONGONGO Q341<sup>PV</sup>

Structural Assessment 2025/02/28							
F	R	F	R			Temp.	Sheath
6	5	5	5	5	5	4	1

April 2025 Trans Tasman Angus Cattle Evaluation																				
TACE	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	DtC	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw
EBV	+7.0	+8.9	-5.2	+2.9	+58	+101	+133	+107	+10	+1.5	-6.9	+80	+4.2	-0.6	-1.3	-0.3	+4.7	+0.15	+21	+0.90
Acc	68%	56%	83%	82%	83%	81%	82%	78%	74%	79%	41%	69%	70%	69%	70%	61%	74%	63%	78%	69%

Traits Observed:  
GL,BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

\$INDEX VALUES	
\$A	\$A-L
\$260	\$435

## Lot 46 BONGONGO U967<sup>PV</sup>

NGX23U967

Calved: 29/8/2023

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR

LAWSON'S MOMENTOUS M518<sup>PV</sup>  
Sire: CSWQ011 MURDEDUKE QUARTERBACK Q011<sup>PV</sup>  
MURDEDUKE BARUNAH N026<sup>PV</sup>

BONGONGO M13<sup>SV</sup>  
Dam: NGXP84 BONGONGO P84<sup>SV</sup>  
BONGONGO M79<sup>#</sup>

Structural Assessment 2025/02/28							
F	R	F	R			Temp.	Sheath
6	5	6	6	6	6	5	1

April 2025 Trans Tasman Angus Cattle Evaluation																				
TACE	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	DtC	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw
EBV	+10.0	+8.1	-7.9	+0.8	+52	+95	+118	+84	+15	+3.3	-6.3	+78	+0.8	+1.4	+2.6	-1.2	+4.8	+0.37	+13	+0.88
Acc	69%	60%	82%	82%	83%	81%	82%	79%	76%	80%	46%	72%	71%	71%	72%	63%	75%	64%	77%	69%

Traits Observed:  
BWT,200WT,400WT,Scan(EMA,IMF),Genomics

Purchaser:

\$:

\$INDEX VALUES	
\$A	\$A-L
\$238	\$395

## Lot 47 BONGONGO U617<sup>PV</sup>

NGX23U617

Calved: 13/8/2023

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR

LAWSON'S MOMENTOUS M518<sup>PV</sup>  
Sire: CSWQ011 MURDEDUKE QUARTERBACK Q011<sup>PV</sup>  
MURDEDUKE BARUNAH N026<sup>PV</sup>

MILLAH MURRAH PARATROOPER P15<sup>PV</sup>  
Dam: NGX21S349 BONGONGO S349<sup>PV</sup>  
BONGONGO Q472<sup>PV</sup>

Structural Assessment 2025/02/28							
F	R	F	R			Temp.	Sheath
6	6	6	6	5	6	4	1

April 2025 Trans Tasman Angus Cattle Evaluation																				
TACE	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	DtC	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw
EBV	+6.8	+3.2	-8.8	+3.4	+56	+103	+132	+112	+19	+2.7	-6.0	+76	+6.8	+1.3	+2.1	-0.8	+5.0	+0.12	+26	+1.00
Acc	70%	63%	83%	82%	84%	82%	82%	80%	77%	81%	47%	73%	72%	72%	73%	64%	76%	66%	79%	69%

Traits Observed:  
GL,BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

\$INDEX VALUES	
\$A	\$A-L
\$246	\$419

## Lot 48 BONGONGO U630<sup>PV</sup>

NGX23U630

Calved: 26/8/2023

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR

MURDEDUKE QUARTERBACK Q011<sup>PV</sup>  
Sire: NGX21S1015 BONGONGO S1015<sup>PV</sup>  
BONGONGO M418<sup>SV</sup>

BONGONGO P212<sup>PV</sup>  
Dam: NGX21S412 BONGONGO S412<sup>PV</sup>  
BONGONGO Q1059<sup>SV</sup>

Structural Assessment 2025/02/28							
F	R	F	R			Temp.	Sheath
6	6	6	6	5	5	4	1

April 2025 Trans Tasman Angus Cattle Evaluation																				
TACE	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	DtC	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw
EBV	+3.2	+7.4	-5.7	+5.2	+61	+108	+141	+112	+19	+3.9	-8.7	+75	-4.0	+3.3	+5.1	-2.9	+6.6	+0.65	+27	+0.96
Acc	64%	55%	81%	81%	82%	80%	81%	78%	73%	78%	41%	69%	69%	68%	70%	59%	74%	62%	75%	64%

Traits Observed:  
BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

\$INDEX VALUES	
\$A	\$A-L
\$257	\$440



# THE AUTUMN SALE BULLS

## Lot 49 BONGONGO U1471<sup>PV</sup>

NGX23U1471

Calved: 20/8/2023

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: HBR


DUNOON NEWCOMER N394<sup>SV</sup>

BONGONGO P1737<sup>PV</sup>

Sire: BHRQ1163 DUNOON QUICK DRAW MCGRAW Q1163<sup>SV</sup>  
DUNOON PRINCESS K074<sup>#</sup>

Dam: NGXR547 BONGONGO R547<sup>PV</sup>  
BONGONGO N1439<sup>SV</sup>

Structural Assessment 2025/02/28							
F	R	F	R	F	R	Temp.	Sheath
6	6	6	5	6	6	5	1

 TACE	April 2025 TransTasman Angus Cattle Evaluation																					
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	DtC	CWT	EMA	Rib	Rump	RBV%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	+4.5	-2.5	-4.2	+1.6	+47	+84	+106	+79	+18	+2.5	-5.4	+54	+5.6	+1.4	+1.9	+0.0	+4.1	+0.32	+14	+0.88	+0.82	+1.06
Acc	64%	54%	83%	82%	83%	81%	81%	78%	73%	78%	41%	70%	70%	69%	70%	61%	74%	61%	76%	64%	64%	61%

Traits Observed:

GL,BWT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

INDEX VALUES	
\$A	\$A-L
\$220	\$351

## Lot 50 BONGONGO U1262<sup>PV</sup>

NGX23U1262

Calved: 31/8/2023

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR


LAWSON'S MOMENTOUS M518<sup>PV</sup>

BONGONGO N566<sup>SV</sup>

Sire: NGXQ227 BONGONGO BE QUICK Q227<sup>PV</sup>  
BONGONGO N221<sup>SV</sup>

Dam: NGXQ789 BONGONGO Q789<sup>PV</sup>  
BONGONGO L1084<sup>SV</sup>

Structural Assessment 2025/02/28							
F	R	F	R	F	R	Temp.	Sheath
6	6	5	6	6	6	4	1

 TACE	April 2025 TransTasman Angus Cattle Evaluation																					
	CEDir	CEDtr	GL	BW	200	400	600	MCW	Milk	SS	DtC	CWT	EMA	Rib	Rump	RBV%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	+6.0	+1.9	-7.4	+2.9	+45	+79	+99	+54	+15	+3.1	-6.9	+55	+10.6	+2.8	+2.9	+0.3	+3.8	+0.56	+11	+0.74	+1.22	+1.14
Acc	65%	56%	82%	82%	83%	81%	81%	79%	74%	78%	44%	72%	72%	71%	72%	61%	76%	65%	76%	65%	66%	64%

Traits Observed:

BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

INDEX VALUES	
\$A	\$A-L
\$256	\$383

## Lot 51 BONGONGO U1681<sup>PV</sup>

NGX23U1681

Calved: 1/9/2023

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR


LAWSON'S MOMENTOUS M518<sup>PV</sup>

BONGONGO L4<sup>F</sup>

Sire: NGXQ227 BONGONGO BE QUICK Q227<sup>PV</sup>  
BONGONGO N221<sup>SV</sup>

Dam: NGXP811 BONGONGO P811<sup>SV</sup>  
BONGONGO K933<sup>#</sup>

Structural Assessment 2025/02/28							
F	R	F	R	F	R	Temp.	Sheath
5	5	5	6	6	6	5	1

 TACE	April 2025 Trans Tasman Angus Cattle Evaluation																					
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	Dt C	CWT	EMA	Rib	Rump	RBV%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	+10.6	+7.1	-1.3	+2.1	+37	+73	+88	+55	+23	+2.9	-8.3	+52	+5.8	+1.0	+1.6	+0.3	+4.1	+1.12	+3.1	+0.56	+0.88	+1.10
Acc	64%	56%	82%	82%	83%	81%	81%	78%	74%	78%	44%	72%	71%	71%	72%	61%	76%	64%	76%	66%	66%	64%

Traits Observed:

BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

INDEX VALUES	
\$A	\$A-L
\$236	\$368

## Lot 52 BONGONGO U1664<sup>PV</sup>

NGX23U1664

Calved: 4/9/2023

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR


LAWSON'S MOMENTOUS M518<sup>PV</sup>

ARDROSSAN HONOUR H255<sup>PV</sup>

Sire: NGXQ227 BONGONGO BE QUICK Q227<sup>PV</sup>  
BONGONGO N221<sup>SV</sup>

Dam: NGXM858 BONGONGO M858<sup>SV</sup>  
BONGONGO G597<sup>#</sup>

Structural Assessment 2025/02/28							
F	R	F	R	F	R	Temp.	Sheath
6	5	5	5	5	6	5	1

 TACE	April 2025 TransTasman Angus Cattle Evaluation																					
	CEDir	CEDtr	GL	BW	200	400	600	MCW	Milk	SS	DtC	CWT	EMA	Rib	Rump	RBV%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	+2.6	+4.7	-4.0	+3.2	+49	+84	+104	+86	+17	+3.7	-5.7	+66	+11.4	-1.2	-0.7	+1.0	+4.2	+1.1	+10	+0.54	+0.94	+1.10
Acc	64%	56%	82%	81%	82%	80%	81%	78%	73%	77%	46%	72%	71%	71%	72%	62%	76%	65%	75%	68%	68%	67%

Traits Observed:

BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

INDEX VALUES	
\$A	\$A-L
\$239	\$380



## Lot 53 BONGONGO U456<sup>PV</sup>

NGX23U456

Calved: 18/8/2023

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: HBR

MILLAH MURRAH PARATROOPER P15<sup>PV</sup>

KO B074 BEAST MODE P117<sup>PV</sup>


Sire: NGX21S56 BONGONGO S56<sup>PV</sup>

Dam: NGX21S880 BONGONGO S880<sup>SV</sup>

KENNY'S CREEK BARA J37<sup>PV</sup>

BONGONGO J622<sup>#</sup>

Structural Assessment 2025/02/28							
F	R	F	R	F	R	Temp.	Sheath
7	6	6	6	6	6	5	1

 TACE Trans Tasman Angus Cattle Evaluation	April 2025 TransTasman Angus Cattle Evaluation																					
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	+9.7	+8.4	-3.9	-1.3	+43	+83	+96	+83	+11	+4.1	-6.6	+31	+8.5	+3.2	+2.5	-0.2	+5.4	+0.82	+13	+0.76	+0.86	+0.82
Acc	65%	56%	81%	81%	82%	80%	81%	78%	74%	78%	40%	69%	68%	68%	69%	59%	73%	61%	75%	65%	65%	63%

Traits Observed:

CE,BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

INDEX VALUES	
\$A	\$A-L
\$236	\$395

## Lot 54 BONGONGO U607<sup>PV</sup>

NGX23U607

Calved: 10/8/2023

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: HBR

BALDRIDGE FORECASTER B160<sup>PV</sup>

BONGONGO BE QUICK Q227<sup>PV</sup>


Sire: USA19563587 BALDRIDGE VERSATILE<sup>PV</sup>

Dam: NGX21S766 BONGONGO S766<sup>PV</sup>

BALDRIDGE BLACKBIRD A030<sup>#</sup>

BONGONGO P753<sup>SV</sup>

Structural Assessment 2025/02/28							
F	R	F	R	F	R	Temp.	Sheath
5	5	5	5	5	6	5	1

 TACE Trans Tasman Angus Cattle Evaluation	April 2025 TransTasman Angus Cattle Evaluation																					
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	+7.5	+7.6	-3.0	+3.2	+53	+102	+117	+101	+11	+11	-7.0	+73	+7.8	-2.2	-2.0	+0.3	+4.0	+0.54	+23	+0.70	+0.92	+0.82
Acc	67%	56%	83%	83%	84%	82%	82%	79%	75%	80%	42%	71%	71%	71%	71%	62%	75%	63%	78%	69%	68%	61%

Traits Observed:

GL,BWT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

INDEX VALUES	
\$A	\$A-L
\$255	\$427

## Lot 55 BONGONGO U443<sup>PV</sup>

NGX23U443

Calved: 9/8/2023

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR

BALDRIDGE FORECASTER B160<sup>PV</sup>

CLUNIE RANGE PLANTATION P392<sup>SV</sup>


Sire: USA19563587 BALDRIDGE VERSATILE<sup>PV</sup>

Dam: NGX21S795 BONGONGO S795<sup>SV</sup>

BALDRIDGE BLACKBIRD A030<sup>#</sup>

BONGONGO N1145<sup>#</sup>

Structural Assessment 2025/02/28							
F	R	F	R	F	R	Temp.	Sheath
6	6	5	6	5	5	4	1

 TACE	April 2025 TransTasman Angus Cattle Evaluation																					
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	+1.2	+2.8	-4.8	+3.5	+65	+109	+133	+92	+18	+4.1	-6.6	+77	+8.6	+0.4	+0.7	-0.4	+3.0	+0.04	+45	+0.86	+0.90	+0.78
Acc	69%	57%	84%	83%	84%	82%	83%	79%	75%	81%	43%	71%	72%	71%	72%	62%	76%	63%	79%	69%	69%	61%

Traits Observed:

CE,BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

INDEX VALUES	
\$A	\$A-L
\$267	\$422

## Lot 56 BONGONGO U505<sup>PV</sup>

NGX23U505

Calved: 24/8/2023

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR

RENNYLEAN542<sup>PV</sup>

BONGONGO Q531<sup>PV</sup>


Sire: CGKR163 ALPINE REAL DEAL R163<sup>PV</sup>

Dam: NGX21S631 BONGONGO S631<sup>PV</sup>

ALPINE LONGSHOT P354<sup>PV</sup>

BONGONGO Q282<sup>SV</sup>

Structural Assessment 2025/02/28							
F	R	F	R	F	R	Temp.	Sheath
6	5	6	5	6	6	5	1

 TACE	April 2025 TransTasman Angus Cattle Evaluation																					
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	+0.3	+2.8	-5.5	+4.9	+61	+106	+143	+115	+19	+3.3	-4.8	+79	+7.6	-1.7	-0.2	-0.5	+4.1	+0.17	+25	+0.70	+0.72	+1.00
Acc	66%	55%	82%	82%	83%	81%	81%	78%	73%	79%	40%	69%	69%	69%	70%	60%	74%	61%	76%	67%	67%	64%

Traits Observed:

CE,BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

INDEX VALUES	
\$A	\$A-L
\$233	\$392

# THE AUTUMN SALE BULLS

Lot 57

BONGONGO U995<sup>PV</sup>

NGX23U995

Calved: 20/8/2023

Genetic Status: AMF,CAF,DDC,NHF

Reg'n Level: HBR

LAWSON'S MOMENTOUS M518<sup>PV</sup>

BONGONGO M826<sup>SV</sup>


Sire: CSWQ011 MURDEDUKE QUARTERBACK Q011<sup>PV</sup>

Dam: NGXP712 BONGONGO P712<sup>SV</sup>

MURDEDUKE BARUNAH N026<sup>PV</sup>

BONGONGO G101<sup>F</sup>

Structural Assessment 2025/02/28									
F	R	F	R	F	R	Temp.	Sheath		
5	5	6	5	5	5	5	1		

<div><div>TACE</div><div></div></div>	April 2025 TransTasman Angus Cattle Evaluation																						
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg	
	EBV	+3.8	+1.7	-6.9	+4.7	+53	+97	+130	+127	+17	+2.5	-6.0	+74	+6.7	-1.5	-1.6	+0.9	+3.9	+0.10	+11	+0.70	+0.94	+1.06
	Acc	67%	59%	82%	81%	82%	80%	81%	78%	74%	78%	46%	71%	70%	70%	71%	62%	75%	63%	76%	70%	70%	69%

Traits Observed:

GL,BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

\$INDEX VALUES	
\$A	\$A-L
\$231	\$402

Lot 58

BONGONGO U512<sup>PV</sup>

NGX23U512

Calved: 18/8/2023

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR

MURDEDUKE QUARTERBACK Q011<sup>PV</sup>

KO B074 BEAST MODE P117<sup>PV</sup>


Sire: NGX21S1015 BONGONGO S1015<sup>PV</sup>

Dam: NGX21S520 BONGONGO S520<sup>PV</sup>

BONGONGO M418<sup>SV</sup>

BONGONGO P605<sup>PV</sup>

Structural Assessment 2025/02/28									
F	R	F	R	F	R	Temp.	Sheath		
5	5	5	5	5	6	4	1		

	April 2025 TransTasman Angus Cattle Evaluation																						
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg	
	EBV	+8.8	+5.5	-7.1	+2.4	+52	+104	+137	+99	+20	+3.5	-7.5	+74	+6.5	+2.3	+2.3	-0.3	+2.4	+0.43	+29	+0.74	+0.92	+0.88
	Acc	66%	57%	82%	81%	83%	81%	81%	79%	75%	79%	42%	70%	70%	69%	71%	60%	75%	63%	76%	61%	61%	60%

Traits Observed:

CE,BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

\$INDEX VALUES	
\$A	\$A-L
\$249	\$422

Lot 59

BONGONGO U753<sup>PV</sup>

NGX23U753

Calved: 21/8/2023

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR

GB FIREBALL 672<sup>PV</sup>

BONGONGO P807<sup>SV</sup>


Sire: NGX21S331 BONGONGO S331<sup>PV</sup>

Dam: NGXR1076 BONGONGO R1076<sup>SV</sup>

BONGONGO Q244<sup>PV</sup>

BONGONGO J555<sup>F</sup>

Structural Assessment 2025/02/28									
F	R	F	R	F	R	Temp.	Sheath		
5	5	5	5	5	6	4	1		

	April 2025 TransTasman Angus Cattle Evaluation																						
	CEDir	CEDtr	GL	BW	200	400	600	MCW	Milk	SS	DtC	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg	
	EBV	+4.7	+6.9	-8.8	+3.0	+58	+90	+129	+93	+24	+1.6	-5.8	+68	+9.0	-1.1	-2.2	-0.6	+6.4	+0.12	+13	+0.68	+0.76	+1.12
	Acc	66%	58%	82%	82%	83%	81%	82%	79%	75%	79%	42%	71%	70%	70%	71%	61%	75%	63%	76%	56%	56%	53%

Traits Observed:  
BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

\$INDEX VALUES	
\$A	\$A-L
\$256	\$407

Lot 60

BONGONGO U1573<sup>PV</sup>

NGX23U1573

Calved: 18/8/2023

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR

GB FIREBALL 672<sup>PV</sup>

BONGONGO P418<sup>PV</sup>

Sire: NGX21S331 BONGONGO S331<sup>PV</sup>

Dam: NGXR491 BONGONGO R491<sup>PV</sup>

BONGONGO Q244<sup>PV</sup>

BONGONGO P732<sup>SV</sup>

Structural Assessment 2025/02/28									
F	R	F	R	F	R	Temp.	Sheath		
6	6	6	6	6	6	5	1		

TACE

April 2025 TransTasman Angus Cattle Evaluation

	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	+4.6	+6.3	-5.9	+2.5	+45	+85	+115	+66	+34	+4.0	-6.9	+67	+3.9	+0.7	+1.2	-0.5	+3.4	+0.48	+22	+0.92	+1.06	+1.08
Acc	64%	54%	81%	81%	82%	80%	80%	77%	73%	78%	39%	69%	68%	68%	69%	59%	73%	61%	74%	63%	63%	59%

Traits Observed:

BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

\$INDEX VALUES	
\$A	\$A-L
\$222	\$357





## Lot 61 BONGONGO U371<sup>PV</sup>

NGX23U371

Calved: 1/8/2023


Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR

BALDRIDGE ALTERNATIVE E125<sup>PV</sup>  
Sire: BLA21S48 KNOWLA SO RIGHT S48<sup>PV</sup>  
KNOWLA DESIGNER L21<sup>SV</sup>

BONGONGO P212<sup>PV</sup>  
Dam: NGX21S297 BONGONGO S297<sup>PV</sup>  
BONGONGO Q1019<sup>PV</sup>

Structural Assessment 2025/02/28							
F	R	F	R	F	R	Temp.	Sheath
5	5	5	6	5	5	5	1

 TACE	April 2025 TransTasman Angus Cattle Evaluation																					
	CEDir	CEDtr	GL	BW	200	400	600	MCW	Milk	SS	DtC	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	+5.2	+6.1	-8.5	+21	+49	+98	+125	+108	+16	+2.9	-6.0	+70	+5.3	+2.6	+3.8	-0.3	+3.0	+0.51	+35	+0.66	+0.74	+0.88
Acc	66%	54%	83%	82%	83%	81%	82%	78%	74%	80%	41%	70%	70%	70%	71%	61%	75%	62%	78%	66%	66%	65%

Traits Observed:  
GL,BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

\$INDEX VALUES	
\$A	\$A-L
\$225	\$397

## Lot 62 BONGONGO U823<sup>PV</sup>

NGX23U823

Calved: 19/8/2023


Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR

G A R TWINHEARTS 8418<sup>SV</sup>  
Sire: VHGP64 CONNAMARA P64<sup>SV</sup>  
CONNAMARA J8<sup>#</sup>

BONGONGO L80<sup>PV</sup>  
Dam: NGXP1021 BONGONGO P1021<sup>SV</sup>  
BONGONGO J1078<sup>#</sup>

Structural Assessment 2025/02/28							
F	R	F	R	F	R	Temp.	Sheath
6	5	6	5	6	6	4	1

 TACE	April 2025 TransTasman Angus Cattle Evaluation																					
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	Dt C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	+0.2	-5.0	-3.9	+5.5	+56	+98	+130	+124	+28	+3.0	-3.7	+86	+9.4	-1.6	-2.3	+1.6	+3.1	+0.05	-4	+1.00	+1.08	+1.10
Acc	65%	56%	83%	82%	83%	81%	81%	78%	74%	79%	41%	70%	69%	69%	70%	60%	73%	61%	76%	66%	66%	64%

Traits Observed:  
GL,BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

\$INDEX VALUES	
\$A	\$A-L
\$213	\$359

## Lot 63 BONGONGO U426<sup>PV</sup>

NGX23U426

Calved: 5/8/2023


Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR

RENNYLEA L508<sup>PV</sup>  
Sire: NGXP212 BONGONGO P212<sup>PV</sup>  
BONGONGO L13<sup>PV</sup>

BONGONGO N671<sup>PV</sup>  
Dam: NGX21S1243 BONGONGO S1243<sup>PV</sup>  
BONGONGO L1059<sup>SV</sup>

Structural Assessment 2025/02/28							
F	R	F	R	F	R	Temp.	Sheath
6	5	6	5	5	5	5	1

 TACE	April 2025 TransTasman Angus Cattle Evaluation																					
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	Dt C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	+6.2	+6.5	-6.0	+2.8	+41	+79	+93	+86	+8	+1.9	-5.6	+45	+5.7	+3.7	+4.5	-0.1	+2.8	+0.38	+33	+0.86	+0.92	+0.96
Acc	64%	55%	83%	82%	83%	81%	82%	79%	75%	79%	44%	72%	72%	71%	72%	62%	76%	65%	76%	65%	66%	64%

Traits Observed:  
GL,CE,BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

\$INDEX VALUES	
\$A	\$A-L
\$201	\$349

## Lot 64 BONGONGO U461<sup>PV</sup>

NGX23U461

Calved: 19/8/2023


Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: HBR

RENNYLEA L508<sup>PV</sup>  
Sire: NGXP212 BONGONGO P212<sup>PV</sup>  
BONGONGO L13<sup>PV</sup>

KO B074 BEAST MODE P117<sup>PV</sup>  
Dam: NGX21S290 BONGONGO S290<sup>PV</sup>  
BONGONGO Q1004<sup>SV</sup>

Structural Assessment 2025/02/28							
F	R	F	R	F	R	Temp.	Sheath
6	5	5	5	5	5	5	1

 TACE	April 2025 TransTasman Angus Cattle Evaluation																					
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	Dt C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	+4.2	+7.7	-5.0	+2.9	+53	+92	+110	+109	+13	+2.7	-6.8	+60	+1.5	+1.3	+2.4	-0.9	+4.6	+0.92	+9	+0.80	+0.84	+0.94
Acc	63%	54%	82%	81%	83%	81%	81%	79%	74%	78%	43%	71%	71%	70%	72%	61%	75%	64%	75%	67%	67%	66%

Traits Observed:  
CE,BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

Purchaser:

\$:

\$INDEX VALUES	
\$A	\$A-L
\$223	\$393

# THE AUTUMN SALE BULLS

Lot 65

BONGONGO U745<sup>PV</sup>

NGX23U745

Calved: 19/8/2023

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR

DUNOON NEWCOMER N394<sup>SV</sup>

HAZELDEAN KATZEN K416<sup>SV</sup>


Sire: BHRQ1163 DUNOON QUICK DRAW MCGRAW Q1163<sup>SV</sup>

Dam: NGXR189 BONGONGO R189<sup>PV</sup>

DUNOON PRINCESS K074<sup>#</sup>

BONGONGO P1393<sup>SV</sup>

Structural Assessment 2025/02/28									
						Temp.	Sheath		
5	5	5	5	5	6	5	1		

 TACE Trans Tasman Angus Cattle Evaluation	April 2025 TransTasman Angus Cattle Evaluation																						
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg	
	EBV	-0.1	+0.1	-6.9	+4.5	+53	+96	+129	+105	+15	+2.3	-6.1	+64	+10.4	-0.6	-0.6	+0.0	+4.5	+0.28	+25	+0.68	+0.72	+0.92
	Acc	64%	54%	82%	81%	82%	80%	81%	77%	73%	78%	42%	69%	69%	69%	70%	61%	74%	61%	76%	67%	67%	66%

Traits Observed:  
GL,BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

\$INDEX VALUES	
\$A	\$A-L
\$235	\$385

Purchaser: \$:

Lot 66

BONGONGO U1577<sup>PV</sup>

NGX23U1577

Calved: 2/9/2023

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: HBR

RENNYLEAN542<sup>PV</sup>

G A R FAIL SAFE<sup>PV</sup>


Sire: CGKR163 ALPINE REAL DEAL R163<sup>PV</sup>

Dam: NGXR465 BONGONGO R465<sup>PV</sup>

ALPINE LONGSHOT P354<sup>PV</sup>

BONGONGO P703<sup>SV</sup>

Structural Assessment 2025/02/28									
						Temp.	Sheath		
6	6	6	6	5	6	5	1		

 TACE	April 2025 TransTasman Angus Cattle Evaluation																					
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	-1.2	+0.7	-5.5	+5.9	+73	+118	+152	+161	+14	+4.0	-5.3	+76	+10.1	-2.5	-4.1	+0.8	+2.7	-0.25	+21	+0.94	+0.80	+0.84
Acc	67%	56%	83%	82%	83%	81%	82%	79%	74%	79%	42%	70%	70%	70%	71%	62%	74%	62%	77%	68%	68%	65%

Traits Observed:  
GL,BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

\$INDEX VALUES	
\$A	\$A-L
\$236	\$427

Purchaser: \$:

# HOW THE HELMSMAN SYSTEM WORKS

1. On arrival intending purchasers need to register at the bid table and receive a bidding number.
2. All animals are displayed for inspection prior to and during the sale.
3. When the sale commences all animals are on the market simultaneously. You may bid on any animal regardless of lot number, by filling in a bid card with your bid price and buyer number and hand to a "runner". These bids will then be recorded at the table in the order they are received. Where bids of equal amounts on the same animal the first bid received will be the standing bid.
4. You may open bidding at the reserve price indicated for each animal in the catalogue and contest bids in multiples of no less than \$500.00.
5. Bids are recorded, with the buyers number on a large board adjacent to the animals. You can bid on any number of animals at once and see at a glance whether your bid stands or has been over-bid.
6. A bid once submitted and recorded cannot be retracted.
7. The sale will remain open for 20 minutes initially. At the conclusion of 20 minutes a 2 minute bid clock will commence. A bid on any lot will restart the countdown clock. Any further bids on any lot will trigger the same process until a full 2 minute "no bid" period the sale will conclude on all lots.
8. All lots are open for sale for the full duration of the sale and all lots will conclude at the same time.
9. If your "first choice" animal goes beyond your limits you can still bid on any other animal in the sale.

## CARING FOR YOUR NEW BULL

Always be considerate to your new bull/s and handle them with respect and kindness. Handle them quietly, walk them rather than rushing them, treat them with care and in a gentle manner and they will do likewise to you.

Bulls leaving Bongongo leave the security of a large mob, and will arrive in a strange environment at the purchaser's property. When the bull/s are unloaded it is recommended you have a steer or cow as companion waiting for them in the yard.

A young bull can move in with older bulls and settle well, but remember, being the youngest, he will get the last of any feed available, because of the pecking order. The paddock needs to be reasonably large so he can keep away from the others and find adequate feed. Young bulls are still growing fast and need enough feed to maintain their growth pattern.

Bongongo bulls are used to being handled by stockmen with motorbikes, utes, dogs and horses. We pay utmost attention to bull temperament as being a critical trait.

When your new bull is joined to your females, inspect him at least weekly to ensure he is walking freely and his penis looks normal. If there is a problem take him out of the mob and contact your vet. Early treatment is vital. If you have any questions regarding the bulls, the progeny etc. please let us know.



# REFERENCE SIRE GUIDE

SIRE IDENT	SIRE NAME	LOT NUMBERS
CSWQ011	Murdeduke Quarterback Q011	7, 16, 17, 18, 25, 33, 34, 46, 47, 57
BLA21S48	Knowla So Right S48	3, 4, 26, 27, 28, 38, 39, 61
USA19563587	Baldrige Versatile	1, 6, 10, 15, 44, 54, 55
BHRQ1163	Dunoon Quick Draw McGraw Q1163	21, 22, 23, 36, 49, 65
CGKR163	Alpine Real Deal R163	13, 14, 24, 56, 66
NGXQ227	Bongongo Be Quick Q227	31, 32, 50, 51, 52
NGXP212	Bongongo P212	8, 40, 63, 64
NZE145720190485	Rissington Sovereign Q485	11, 12, 35, 45
NGXR288	Bongongo R288	2, 5, 29
NGX21S1015	Bongongo S1015	30, 48, 58
NGX21S331	Bongongo S331	59, 60
NGX21S609	Bongongo S609	42, 43
NGXR1054	Bongongo R1054	19
NGX21S56	Bongongo S56	53
NGX21S332	Bongongo S332	37
NGX21S1038	Bongongo S1038	41
NZCR57	KO Prophet R57	20
USA19356243	Baldrige Goalkeeper	9
VHGP64	Connamara P64	62

# REFERENCE SIRES

Reference Sire

MURDEDUKE QUARTERBACK Q011<sup>PV</sup>

CSWQ011

Calved: 10/07/2019

Genetic Status: AMF,CAF,DDF,NHF,DWF,MAF,MHF,OHF,OSF,RGF

Reg'n Level: HBR

G A R MOMENTUM<sup>PV</sup>


CARABAR DOCKLANDS D62<sup>PV</sup>

Sire: VLYM518 LAWSONS MOMENTOUS M518<sup>PV</sup>

Dam: CSWN026 MURDEDUKE BARUNAH N026<sup>PV</sup>

LAWSONS AFRICA H229<sup>SV</sup>

MURDEDUKE K304<sup>SV</sup>

 TACE Trans Tasman Angus Cattle Evaluation	April 2025 TransTasman Angus Cattle Evaluation																					
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	+7.4	+2.1	-9.5	+3.0	+53	+101	+134	+106	+24	+4.1	-6.7	+77	+4.8	+1.6	+2.8	-1.1	+5.4	+0.62	+23	+0.70	+1.08	+1.08
Acc	89%	81%	99%	99%	99%	99%	99%	97%	95%	98%	68%	93%	91%	92%	92%	87%	91%	82%	99%	99%	99%	98%

Traits Observed: GL,CE,BWT,200WT,400WT,SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1),Genomics

BREEDPLAN Statistics: Number of Herds: 213, Prog Analysed: 5013, Genomic Prog: 3457

Sire to Lots: 7, 16, 17, 18, 25, 33, 34, 46, 47, 57

\$INDEX VALUES	
\$A	\$A-L
\$243	\$412

Reference Sire

KNOWLA SO RIGHT S48<sup>PV</sup>

BLA21S48

Calved: 01/03/2021

Genetic Status: AMF,CAF,DDF,NHF,DWF,MAF,MHF,OHF,OSF,RGF

Reg'n Level: HBR

POSS EASY IMPACT 0119<sup>#</sup>


WATTLETOP SITZ 458N E111<sup>SV</sup>

Sire: USA18837398 BALDRIDGE ALTERNATIVE E125<sup>PV</sup>

Dam: BLAL21 KNOWLA DESIGNER L21<sup>SV</sup>

BALDRIDGE BLACKBIRD A030<sup>#</sup>

KNOWLA DESIGNER C16<sup>#</sup>

 TACE Trans Tasman Angus Cattle Evaluation	April 2025 TransTasman Angus Cattle Evaluation																					
	CEDir	CEDtr	GL	BW	200	400	600	MCW	Milk	SS	DtC	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	+4.6	-1.3	-5.0	+3.1	+56	+100	+127	+108	+15	+2.8	-5.5	+79	+8.3	+1.1	+1.3	-0.2	+3.9	+0.42	+34	+0.88	+0.96	+0.98
Acc	81%	62%	99%	98%	97%	97%	95%	88%	79%	96%	51%	81%	85%	83%	83%	77%	84%	67%	97%	86%	85%	84%

Traits Observed: GL,BWT,200WT,400WT(x2),SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1),Genomics

BREEDPLAN Statistics: Number of Herds: 73, Prog Analysed: 1144, Genomic Prog: 700

Sire to Lots: 3, 4, 26, 27, 28, 38, 39, 61

\$INDEX VALUES	
\$A	\$A-L
\$236	\$396

Reference Sire

BALDRIDGE VERSATILE<sup>PV</sup>

USA19563587

Calved: 24/04/2019

Genetic Status: AMF,CAF,DDF,NHF,DWF,MAF,MHF,OHF,OSF,RGF

Reg'n Level: HBR

G A R PROPHET<sup>SV</sup>


HOOVER DAM<sup>#</sup>

Sire: USA18203854 BALDRIDGE FORECASTER B160<sup>PV</sup>

Dam: USA17770899 BALDRIDGE BLACKBIRD A030<sup>#</sup>

BALDRIDGE PRATISSA W165<sup>#</sup>

BALDRIDGE BLACKBIRD X89<sup>#</sup>

 TACE Trans Tasman Angus Cattle Evaluation	April 2025 Trans Tasman Angus Cattle Evaluation																					
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	+7.3	+2.3	-4.8	+3.3	+74	+125	+155	+141	+10	+11	-6.0	+86	+4.9	-1.4	-1.6	-1.1	+5.6	-0.08	+50	+1.08	+1.00	+0.72
Acc	82%	65%	99%	98%	97%	97%	96%	89%	83%	96%	54%	85%	86%	84%	83%	78%	86%	68%	97%	96%	95%	75%

Traits Observed: Genomics

BREEDPLAN Statistics: Number of Herds: 29, Prog Analysed: 833, Genomic Prog: 632

Sire to Lots: 1, 6, 10, 15, 44, 54, 55

\$INDEX VALUES	
\$A	\$A-L
\$275	\$474

Reference Sire

DUNOON QUICK DRAW MCGRAW Q1163<sup>SV</sup>

BHRQ1163

Calved: 04/09/2019

Genetic Status: AMF,CAF,DDF,NHF,DWF,MAF,MHF,OHF,OSF,RGF

Reg'n Level: HBR

V A R DISCOVERY 2240<sup>PV</sup>


DUNOON GABBA G548<sup>PV</sup>

Sire: BHRN394 DUNOON NEWCOMER N394<sup>SV</sup>

Dam: BHRK074 DUNOON PRINCESS K074<sup>#</sup>

DUNOON DANDLOO H1066<sup>#</sup>

DUNOON PRINCESS F286<sup>#</sup>

 TACE Trans Tasman Angus Cattle Evaluation	April 2025 Trans Tasman Angus Cattle Evaluation																					
	CEDir	CEDtr	GL	BW	200	400	600	MCW	Milk	SS	DtC	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	-1.8	+1.0	-5.3	+3.9	+57	+104	+136	+111	+21	+3.6	-3.5	+71	+9.6	-0.5	-2.1	-0.3	+5.8	+0.58	+14	+0.86	+0.64	+0.88
Acc	75%	61%	98%	97%	95%	96%	94%	87%	77%	89%	50%	80%	83%	82%	82%	76%	83%	67%	89%	78%	79%	74%

Traits Observed: BWT,200WT,400WT,SC,Scan(EMA,Rib,Rump,IMF),DOC,Genomics

BREEDPLAN Statistics: Number of Herds: 14, Prog Analysed: 434, Genomic Prog: 242

Sire to Lots: 21, 22, 23, 36, 49, 65

\$INDEX VALUES	
\$A	\$A-L
\$221	\$367



Reference SireALPINE REAL DEAL R163 PVCGKR163

Calved: 21/07/2020Genetic Status: AMF,CAF,DDF,NHF,DWF,MAF,MHF,OHF,OSF,RGFReg'n Level: HBR

HPCA INTENSITY#TE MANIA LONGSHOT L107SV

Sire: NORN542 RENNYLEA N542PVDam: CGKP354 ALPINE LONGSHOT P354PV

RENNYLEA EISA ERICA G366SVALPINE M242PV

TACE	April 2025 Trans Tasman Angus Cattle Evaluation																			
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw
EBV	+3.7	+1.5	-3.0	+4.1	+62	+110	+143	+118	+20	+3.9	-5.6	+71	+10.7	+0.8	+2.5	-0.8	+4.8	+0.54	+24	+0.68
Acc	79%	63%	98%	98%	96%	96%	95%	88%	79%	92%	52%	81%	84%	83%	83%	77%	83%	68%	92%	91%

Traits Observed: GL,CE,BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

BREEDPLAN Statistics: Number of Herds: 43, Prog Analysed: 833, Genomic Prog: 338

Sire to Lots: 13, 14, 24, 56, 66

\$INDEX VALUES	
\$A	\$A-L
\$259	\$434

Reference SireBONGONGO BE QUICK Q227 PVNGXQ227

Calved: 03/08/2019Genetic Status: AMF,CAF,DDF,NHF,DWF,MAF,MHF,OHF,OSF,RGFReg'n Level: HBR

GARMOMENTUM#MILWILLAH GATSBY G279PV

Sire: VLYM518 LAWSONS MOMENTOUS M518PVDam: NGXN221 BONGONGO N221SV

LAWSONS AFRICA H229SVBONGONGO F617#

TACE	April 2025 Trans Tasman Angus Cattle Evaluation																			
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw
EBV	+4.6	+2.7	-4.3	+2.9	+50	+91	+113	+64	+23	+3.7	-6.5	+65	+11.4	+0.6	+2.8	+0.2	+5.8	+1.13	+19	+0.62
Acc	73%	66%	97%	97%	95%	94%	93%	90%	82%	85%	61%	90%	89%	89%	90%	81%	91%	82%	91%	86%

Traits Observed: CE,BWT,200WT,400WT,Scan(EMA,Rib,IMF),Genomics

BREEDPLAN Statistics: Number of Herds: 16, Prog Analysed: 276, Genomic Prog: 221

Sire to Lots: 31, 32, 50, 51, 52

\$INDEX VALUES	
\$A	\$A-L
\$286	\$423

Reference SireBONGONGO P212 PVNGXP212

Calved: 20/04/2018Genetic Status: AMF,CAF,DDF,NHF,DWF,MAF,MHF,OHF,OSF,RGFReg'n Level: HBR

HPCA INTENSITY#MATAURI REALITY 839#

Sire: NORL508 RENNYLEA L508PVDam: NGXL13 BONGONGO L13PV

RENNYLEA H414SVBONGONGO J24SV

TACE	April 2025 Trans Tasman Angus Cattle Evaluation																			
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw
EBV	+6.3	+9.5	-7.0	+2.2	+46	+87	+104	+81	+22	+3.8	-9.3	+55	+3.9	+3.3	+5.7	-1.0	+4.8	+0.94	+9	+0.82
Acc	71%	63%	96%	96%	95%	95%	94%	92%	86%	87%	61%	89%	89%	88%	89%	82%	90%	81%	86%	85%

Traits Observed: BWT,200WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Genomics

BREEDPLAN Statistics: Number of Herds: 9, Prog Analysed: 193, Genomic Prog: 150

Sire to Lots: 8, 40, 63, 64

\$INDEX VALUES	
\$A	\$A-L
\$257	\$423

Reference SireRISSINGTON SOVEREIGN Q485 PVNZE145720190485

Calved: 22/08/2019Genetic Status: AMF,CAF,DDF,NHF,DWF,MAF,MHF,OHF,OSF,RGFReg'n Level: HBR

PARINGA JUDD J5PVK C F BENNETT AUTOMATIC A348#

Sire: HKFM103 PARINGA MONARCH M103PVDam: NZE14572117009 ELLERTON 17009PV

LAWSONS BARTEL E7 J1290#ELLERTON C74PV

TACE	April 2025 Trans Tasman Angus Cattle Evaluation																			
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw
EBV	+11.3	+9.7	-7.6	+0.5	+62	+115	+153	+120	+21	+2.5	-5.1	+93	+8.8	-0.8	-3.1	-0.3	+6.6	+0.78	-4	+0.92
Acc	85%	63%	99%	98%	98%	97%	95%	88%	78%	94%	50%	81%	84%	83%	83%	77%	83%	75%	98%	93%

Traits Observed: BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

BREEDPLAN Statistics: Number of Herds: 38, Prog Analysed: 1133, Genomic Prog: 870

Sire to Lots: 11, 12, 35, 45,

\$INDEX VALUES	
\$A	\$A-L
\$276	\$464



Reference Sire

BONGONGO R288<sup>SV</sup>

NGXR288

Calved: 19/03/2020

Genetic Status: AMF,CAF,DDF,NHF,DWF,MAF,MHF,OHF,OSF,RGF

Reg'n Level: HBR

HP C A INTENSITY<sup>#</sup>

Sire: NORL519 RENNYLEA L519<sup>PV</sup>

RENNYLEA H414<sup>SV</sup>

KM BROKEN BOW 002<sup>PV</sup>

Dam: NGXL399 BONGONGO L399<sup>#</sup>

KANSAS ANNIE C11<sup>SV</sup>

TACE	April 2025 TransTasman Angus Cattle Evaluation																			
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw
EBV	+4.7	-1.1	-6.9	+4.5	+57	+104	+139	+141	+16	+1.7	-4.6	+90	+5.2	+1.6	+4.2	-0.7	+2.4	+0.64	+13	+0.84
Acc	76%	67%	91%	93%	90%	91%	89%	86%	79%	81%	57%	80%	81%	81%	81%	75%	82%	69%	82%	72%

Traits Observed: GL,BWT,200WT,400WT,SC,Scan(EMA,Rib,Rump,IMF),Genomics

BREEDPLAN Statistics: Number of Herds: 1, Prog Analysed: 90, Genomic Prog: 58

Sire to Lots: 2, 5, 29

\$INDEX VALUES	
\$A	\$A-L
\$200	\$379

Reference Sire

BONGONGO S1015<sup>PV</sup>

NGX21S1015

Calved: 08/09/2021

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR

LAWSONS MOMENTOUS M518<sup>PV</sup>

Sire: CSWQ011 MURDEDUKE QUARTERBACK Q011<sup>PV</sup>

MURDEDUKE BARUNAH N026<sup>PV</sup>

G A R PROPHET<sup>SV</sup>

Dam: NGXM418 BONGONGO M418<sup>SV</sup>

BONGONGO K257<sup>#</sup>

TACE	April 2025 TransTasman Angus Cattle Evaluation																			
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw
EBV	+9.8	+9.3	-7.3	+2.2	+49	+98	+118	+75	+19	+2.3	-7.3	+66	+1.7	+4.6	+5.2	-1.8	+4.5	+0.93	+8	+1.02
Acc	71%	63%	83%	85%	85%	84%	84%	81%	77%	80%	50%	75%	74%	74%	75%	67%	77%	67%	79%	71%

Traits Observed: GL,BWT,400WT,SC,Scan(EMA,Rib,Rump,IMF),Genomics

BREEDPLAN Statistics: Number of Herds: 1, Prog Analysed: 4, Genomic Prog: 4

Sire to Lots: 30,48,58

\$INDEX VALUES	
\$A	\$A-L
\$247	\$406

Reference Sire

BONGONGO S331<sup>PV</sup>

NGX21S331

Calved: 26/07/2021

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR

G A R SURE FIRE 6404<sup>#</sup>

Sire: USA18690054 GB FIREBALL 672<sup>PV</sup>

GB ANTICIPATION 432<sup>#</sup>

BONGONGO M410<sup>SV</sup>

Dam: NGXQ244 BONGONGO Q244<sup>PV</sup>

BONGONGO N142<sup>SV</sup>

TACE	April 2025 TransTasman Angus Cattle Evaluation																			
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw
EBV	+3.9	+7.1	-5.1	+2.9	+59	+96	+124	+72	+27	+3.1	-8.1	+83	+11.8	-0.7	-1.7	-0.1	+4.8	+0.72	+7	+1.00
Acc	70%	62%	83%	87%	86%	85%	85%	82%	77%	80%	48%	76%	75%	75%	76%	68%	78%	67%	78%	69%

Traits Observed: GL,BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

BREEDPLAN Statistics: Number of Herds: 2, Prog Analysed: 11, Genomic Prog: 4

Sire to Lots: 59, 60

\$INDEX VALUES	
\$A	\$A-L
\$291	\$439

Reference Sire

BONGONGO S609<sup>PV</sup>

NGX21S609

Calved: 01/08/2021

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR

G A R SURE FIRE 6404<sup>#</sup>

Sire: USA18690054 GB FIREBALL 672<sup>PV</sup>

GB ANTICIPATION 432<sup>#</sup>

BONGONGO N444<sup>PV</sup>

Dam: NGXQ409 BONGONGO Q409<sup>SV</sup>

BONGONGO N702<sup>#</sup>

TACE	April 2025 TransTasman Angus Cattle Evaluation																			
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw
EBV	+0.2	+2.4	-4.2	+4.6	+59	+97	+126	+128	+8	+2.8	-7.9	+88	+10.5	+0.0	-2.1	+0.3	+4.1	+0.17	+13	+0.82
Acc	70%	61%	83%	88%	86%	86%	85%	82%	76%	80%	47%	76%	75%	76%	76%	69%	78%	66%	77%	70%

Traits Observed: GL,BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

BREEDPLAN Statistics: Number of Herds: 1, Prog Analysed: 17, Genomic Prog: 4

Sire to Lots: 42, 43

\$INDEX VALUES	
\$A	\$A-L
\$244	\$419

# REFERENCE SIRES

Reference Sire

BONGONGO R1054<sup>SV</sup>

NGXR1054

Calved: 16/09/2020

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR

G A R PROPHET<sup>SV</sup>

Sire: USA17960722 BALDRIDGE BEAST MODE B074<sup>PV</sup>

Dam: NGXJ692 BONGONGO J692<sup>#</sup>

BALDRIDGE ISABEL Y69<sup>#</sup>

BONGONGO F010<sup>#</sup>

TACE	April 2025 Trans Tasman Angus Cattle Evaluation																			
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw
EBV	+6.7	+6.8	-5.1	+1.4	+55	+95	+119	+82	+18	+0.5	-1.4	+66	+5.8	-2.0	-2.5	+0.1	+4.2	-0.15	+26	+0.72
Acc	76%	66%	84%	92%	89%	89%	88%	85%	78%	81%	55%	79%	79%	80%	80%	74%	81%	68%	80%	71%

Traits Observed: GL,BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

BREEDPLAN Statistics: Number of Herds: 1, Prog Analysed: 43, Genomic Prog: 29

Sire to Lots: 19

\$INDEX VALUES	
\$A	\$A-L
\$215	\$347

Reference Sire

BONGONGO S56<sup>PV</sup>

NGX21S56

Calved: 27/03/2021

Genetic Status: AMF,CAF,DDF,NHF,DWF,MAF,MHF,OSF,RGF

Reg'n Level: HBR

EF COMMANDO 1366<sup>PV</sup>

Sire: NMMP15 MILLAH MURRAH PARATROOPER P15<sup>PV</sup>

Dam: NDIJ37 KENNY'S CREEK BARA J37<sup>PV</sup>

MILLAH MURRAH ELA M9<sup>PV</sup>

KENNY'S CREEK BARA F354<sup>SV</sup>

TACE	April 2025 Trans Tasman Angus Cattle Evaluation																			
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw
EBV	+5.0	+6.0	-6.1	+2.1	+57	+103	+121	+109	+16	+3.3	-6.1	+61	+3.6	+1.1	-1.2	-0.8	+5.7	+0.53	+11	+0.94
Acc	72%	65%	84%	85%	85%	84%	84%	82%	78%	81%	51%	75%	74%	74%	75%	68%	77%	66%	79%	69%

Traits Observed: BWT,200WT,400WT,SC,Scan(EMA,Rib,Rump,IMF),Genomics

BREEDPLAN Statistics: Number of Herds: 1, Prog Analysed: 3, Genomic Prog: 3

Sire to Lots: 53

\$INDEX VALUES	
\$A	\$A-L
\$237	\$409

Reference Sire

BONGONGO S332<sup>PV</sup>

NGX21S332

Calved: 26/07/2021

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: APR

BALDRIDGE BEAST MODE B074<sup>PV</sup>

Sire: NZCP117 KO B074 BEAST MODE P117<sup>PV</sup>

Dam: NGXQ366 BONGONGO Q366<sup>SV</sup>

KO MAY M67<sup>SV</sup>

BONGONGO N481<sup>#</sup>

TACE	April 2025 Trans Tasman Angus Cattle Evaluation																			
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw
EBV	-0.3	+7.6	-3.3	+1.8	+40	+75	+82	+65	+1	+1.7	-4.6	+37	+8.8	+1.5	+0.9	-0.1	+5.2	+0.80	+19	+0.98
Acc	69%	57%	83%	87%	86%	85%	84%	82%	75%	79%	44%	73%	73%	74%	74%	67%	76%	61%	76%	67%

Traits Observed: GL,BWT,200WT,400WT,SC,Scan(EMA,Rib,Rump,IMF),Genomics

BREEDPLAN Statistics: Number of Herds: 1, Prog Analysed: 12, Genomic Prog: 2

Sire to Lots: 37

\$INDEX VALUES	
\$A	\$A-L
\$205	\$323

Reference Sire

BONGONGO S1038<sup>SV</sup>

NGX21S1038

Calved: 31/08/2021

Genetic Status: AMF,CAF,DDF,NHF

Reg'n Level: HBR

BALDRIDGE BEAST MODE B074<sup>PV</sup>

Sire: NBHP392 CLUNIE RANGE PLANTATION P392<sup>SV</sup>

Dam: NGXM443 BONGONGO M443<sup>#</sup>

CLUNIE RANGE NAOMI M516<sup>#</sup>

BONGONGO K468<sup>SV</sup>

TACE	April 2025 Trans Tasman Angus Cattle Evaluation																			
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw
EBV	+5.5	+5.9	-1.0	+2.4	+59	+103	+128	+90	+24	+3.6	-3.6	+76	+1.0	+0.8	+0.9	-1.8	+5.9	+0.40	+18	+0.98
Acc	72%	63%	84%	85%	85%	84%	84%	82%	77%	81%	49%	75%	75%	75%	75%	67%	78%	68%	79%	67%

Traits Observed: GL,BWT,200WT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

BREEDPLAN Statistics: Number of Herds: 1, Prog Analysed: 3, Genomic Prog: 3

Sire to Lots: 41

\$INDEX VALUES	
\$A	\$A-L
\$221	\$372



## Reference Sire KO PROPHET R57<sup>SV</sup>

NZCR57


Calved: 13/04/2020

Genetic Status: AMFU,CAFU,DDFU,NHFU

Reg'n Level: HBR

C R A BEXTOR 872 5205 608<sup>#</sup>  
Sire: USA16295688 G A R PROPHET<sup>SV</sup>  
G A R OBJECTIVE 1885<sup>#</sup>

PATHFINDER GENESIS G357<sup>PV</sup>  
Dam: NZCP3 KO DREAM P3<sup>#</sup>  
KO DREAM L61<sup>PV</sup>

 TACE	April 2025 TransTasman Angus Cattle Evaluation																					
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg
EBV	+2.2	+5.3	-7.1	+4.2	+57	+86	+111	+82	+21	+2.1	-6.7	+54	+4.0	+2.7	-0.4	-0.8	+5.4	+0.74	+16	+0.74	+0.84	+1.02
Acc	74%	66%	83%	91%	89%	88%	87%	84%	78%	81%	58%	78%	79%	79%	79%	74%	80%	70%	78%	72%	72%	70%

Traits Observed: GL,BWT,400WT,Scan(EMA,Rib,Rump,IMF),Genomics

BREEDPLAN Statistics: Number of Herds: 1, Prog Analysed: 35, Genomic Prog: 16

Sire to Lots: 20

\$INDEX VALUES	
\$A	\$A-L
\$241	\$379

## Reference Sire BALDRIDGE SR GOALKEEPER<sup>PV</sup>

USA19356243


Calved: 07/01/2019

Genetic Status: AMF,CAF,DDF,NHF,DWF,MAF,MHF,OHF,OSF,RGF

Reg'n Level: HBR

SYDGEN EXCEED 3223<sup>PV</sup>  
Sire: USA18170041 SYDGEN ENHANCE<sup>SV</sup>  
SYDGEN RITA 2618<sup>#</sup>

CONNEALY CONFIDENCE PLUS<sup>#</sup>  
Dam: USA18803961 BALDRIDGE ISABEL E030<sup>#</sup>  
BALDRIDGE ISABEL Y69<sup>#</sup>

 TACE	April 2025 TransTasman Angus Cattle Evaluation																						
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg	
	EBV	+1.8	-0.1	-2.3	+4.4	+69	+126	+152	+118	+22	+3.3	-3.3	+85	+121	+0.8	+0.4	+0.4	+2.0	-0.24	+40	+0.90	+0.70	+0.64
	Acc	88%	72%	99%	99%	98%	98%	98%	94%	91%	97%	59%	90%	90%	89%	88%	84%	89%	72%	97%	97%	97%	93%

Traits Observed: Genomics

BREEDPLAN Statistics: Number of Herds: 100, Prog Analysed: 1935, Genomic Prog: 1265

Sire to Lots: 9

\$INDEX VALUES	
\$A	\$A-L
\$260	\$426

## Reference Sire CONNAMARA P64<sup>SV</sup>

VHGP64


Calved: 20/03/2018

Genetic Status: AMF,CAF,DDF,NHF,DWF,MAF,MHF,OHF,OSF,RGF

Reg'n Level: APR

SS OBJECTIVE T510 OT26<sup>#</sup>  
Sire: USA16350631 G A R TWINHEARTS 8418<sup>SV</sup>  
G A R YIELD GRADE 2015<sup>#</sup>

TOPBOS AMBASSADOR F4<sup>PV</sup>  
Dam: VHGJ8 CONNAMARA J8<sup>#</sup>  
CONNAMARA G24<sup>#</sup>

 TACE	April 2025 TransTasman Angus Cattle Evaluation																						
	CE Dir	CE Dtr	GL	BW	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	Rump	RBY%	IMF%	NFI-F	Doc	Claw	Angle	Leg	
	EBV	+10.5	+7.9	-5.4	+4.1	+71	+127	+175	+163	+27	+2.4	-5.2	+110	+9.3	-1.7	-1.7	+0.3	+4.1	-0.36	+16	+0.84	+110	+1.24
	Acc	84%	72%	98%	98%	96%	96%	96%	90%	86%	95%	55%	84%	83%	83%	83%	77%	83%	69%	94%	87%	88%	84%

Traits Observed: GL,BWT,200WT,DOC,Genomics

BREEDPLAN Statistics: Number of Herds: 28, Prog Analysed: 591, Genomic Prog: 335

Sire to Lots: 62

\$INDEX VALUES	
\$A	\$A-L
\$276	\$493



# PROUDLY SUPPORTING OUR LOCAL COMMUNITY

## **BRANCH MANAGER**

Kim Williams | 0477 020 489

## **LIVESTOCK**

Rob Stubbs | 0417 4 78 886

Harrison Daley | 0428 977 437

Nick Gilvarry | 0438 871 653

Harry Waters | 0417 441 155

Angus Wright | 0448 360 543

## **FARM SUPPLIES**

Daniel McDonnell | Gundagai | 0418 979 243

David Crooks | Adelong | 0407 632 34 7

Lachlan Hatton | Tumut | 0427 559 500

## **WOOL**

Tim McMeekin | 0427 830 003

## **STUD STOCK**

Michael Glasser | 0403 526 702

Ryan Bajada | 0418 218 328

Adelong | 02 6941 3100

Gundagai | 02 6944 1155

Tumut | 02 6981 3100



*Elders*



# ARE OUR MATURE COWS BECOMING TOO BIG?

## THROUGHOUT THIS YEAR'S DROUGHT, ONE EMERGING TREND HAS BEEN THE TOPIC OF MATURE COW SIZE.

There are a number of causes for this trend to develop. Firstly the on-going impact of poor to desperate seasons across Australia has focussed many producers on the nutritional challenges in maintaining larger cows. At the same time, the increased selection of bulls for growth and carcase weight has seen industry question the size of cattle being produced. As reported in Beef Central following this year's Angus forum in Albury, keynote speakers highlighted the challenges for processors and retailers from increasing carcase size.

At the same conference, attendees heard from New Zealand's Professor Dorian Garrick of the increase of mature cow sizes over the past 30 years. Professor Garrick, from Massey University, suggested mature cow weights had increase by 100 to 150kg since the 1970s.

As reported earlier by Beef Central, Professor Garrick told the Angus Conference the increase in cow size comes with additional costs for producers. He told the conference, "The cost of feeding the average Angus daughter in 2017 was \$57/head more than the average Angus daughter in 1980."

Increasing mature cow size is one of the outcomes for many producers continuing selection for growth. While increasing growth rate is an important contributor to producing cattle that can potentially achieve higher carcase weights at earlier ages, there are other outcomes to impact on the herd. The most obvious has been increased birth weights and larger mature cows.

While some producers have been able to accommodate an increase in mature cow size, the current drought has exposed many producers to the new reality that their feed reserves are insufficient to meet a herd of larger mature cows. Working with producers on their feeding programs highlights the impact increased cow size has on feed ration amounts.

As a typical example, an increase of 100kg liveweight, from 500kg to 600kg, will see producers needing to increase their 'as fed' ration weight by 15pc. The implication for many producers has been to see their feed reserves declining at a faster rate than budgeted for. In some cases it has resulted in cattle being underfed and losing weight at a rate that was unexpected. In either scenario, producers were forced to make new decisions on the management of their cows, at time much earlier than they expected.

## UNDERSTANDING 'FRAME CREEP'

Given the influence of sires used within herds extends over three generations, it's likely that mature cow size in many herds may continue to increase. I've seen this increase described as 'frame creep', where mature cow size gradually increases over generations as a result of past genetic decisions, and the tendency at selection to choose larger females as replacements.

Having observed the gradual increase in mature cow size in northern NSW for the past two decades, I am fairly sure the increasing trend is a result of 'frame creep', rather than a specific approach by producers. However the flow-on impact has implications that industry is now grappling with, as focus is bought on both cow maintenance needs in drought and carcase weights for processors.

It is also important to highlight the economic impact 'frame creep' has over time within a herd. As highlighted earlier, the cost to maintain an Angus female has increased over the last 30 years by roughly \$1.80/year. Other examples highlight that increasing mature cow size fails to increase returns per hectare.

Some interesting More Beef from Pastures work by Dr John Webb-Ware demonstrated that at low stocking rates, larger cows can be reasonably profitable, but once average or higher stocking rates are achieved, there is no real economic advantage to cows exceeding a 550kg mature weight. The inclusion of Mature Cow Weights within the EBVs for most breeds offers an opportunity for producers to consider and select for mature weights most appropriate for their country, and carrying capacities.

A key feature of BreedObject Version 6 is the creation of Indexes which include consideration of maintenance requirements for cows, and this will offer producers increased opportunity to select more appropriately-suited genetics.

***While there may be a natural inclination to attempt to select larger animals for replacements, it is important to consider how much more feed larger animals demand and the impacts this has in nutritionally challenging times, as well as on the efficiency of the breeding herd in general.***

*by Genetics editor Alastair Rayner, October 29, 2019*



## We're focused on your community's growth

### **Proud to sponsor the Bongongo Angus Stud Sale**

We're an agribusiness bank. That's why we're committed to the growth of your communities and businesses. Our local experts live and work where you do. This exclusive focus is just one of the reasons we have the most satisfied clients in the industry, and it's why we're proud to sponsor the Graham Family.

***Rabobank. One focus.***

Call us on 1300 30 30 33 or visit [www.rabobank.com.au](http://www.rabobank.com.au)



**Rabobank**

# IMPORTANT NOTICES FOR PURCHASES

## DISCLAIMER AND PRIVACY INFORMATION

### ATTENTION BUYER

Animal details included in this catalogue, including but not limited to pedigree, DNA information, Estimated Breeding Values (EBVs) and Index values, are based on information provided by the breeder or owner of the animal. Whilst all reasonable care has been taken to ensure that the information provided in this catalogue was correct at the time of publication, Angus Australia will assume no responsibility for the accuracy or completeness of the information, nor for the outcome (including consequential loss) of any action taken based on this information.

### PARENT INFORMATION SUFFIXES

The animals listed within this catalogue including its pedigree, are displaying a Parent Verification Suffix which indicates the DNA parent verification status that has been conducted on the animal. The Parent Verification Suffixes that will appear at the end of each animal's name are as follows:

- PV both parents have been verified by DNA
  - SV the sire has been verified by DNA
  - DV the dam has been verified by DNA
  - # DNA verification has not yet been conducted
  - E DNA verification has identified that the sire and/or dam may possibly be incorrect, but this cannot be confirmed conclusively.
- and/or dam may possibly be incorrect, but this cannot be confirmed conclusively.

### PRIVACY INFORMATION

In order for Angus Australia to process the transfer of a registered animal in this catalogue, the vendor will need to provide certain information to Angus Australia and the buyer consents to the collection and disclosure of that information by Angus Australia in certain circumstances. If the buyer does not wish for his or her information to be stored and disclosed by Angus Australia, the buyer must complete the form included below and forward it to Angus Australia. If the form is not completed, the buyer will be taken to have consented to the disclosure of such information.

#### BUYERS OPTION TO OPT OUT OF DISCLOSING PERSONAL INFORMATION TO ANGUS AUSTRALIA

If you do not complete this form, you will be taken to have consented to Angus Australia using your name, address and phone number for the purposes of effecting a change of registration of the animal(s) that you have purchased, maintaining its database and disclosing that information to its members on its website.

I, the buyer of animals with the following idents \_\_\_\_\_

from member \_\_\_\_\_ (name) do not consent to Angus Australia using my name, address and phone number for the purposes of effecting a change of registration of the animals I have mentioned above that I have purchased, maintaining its database and disclosing that information to its members on its website.

Name: \_\_\_\_\_ Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Please forward this completed consent form to Angus Australia, 86 Glen Innes Road, Armidale NSW 2350.

If you have any questions or queries regarding any of the above, please contact Angus Australia on (02) 6773 4600 or email [office@angusaustralia.com.au](mailto:office@angusaustralia.com.au)

# BUYERS INSTRUCTION SLIP

## PURCHASER DETAILS:

Purchaser Name: \_\_\_\_\_

Trading Name: \_\_\_\_\_

Address: \_\_\_\_\_

Phone Number: \_\_\_\_\_ Mobile: \_\_\_\_\_

Email Address: \_\_\_\_\_

Property Manager or Stockman Phone No.: \_\_\_\_\_

Property Identification Code: (PIC, must be provided on day of sale): \_\_\_\_\_

## DELIVERY DETAILS:

Lots Purchased: \_\_\_\_\_

Insurance \_\_\_\_\_

Transport Arrangements/Instructions: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

## ACCOUNT DETAILS:

Agent: Signature: \_\_\_\_\_

If you elect to settle through an Agent who has nominated you, the Agent must sign.

Date: 19th May 2025

## STUD REGISTRATIONS:

Do you wish to have the Angus Society of Australia's registration of your bull transferred into your name? YES ☐ NO ☐

---

*(To be handed to the settling office immediately after the sale)*



# BULL SALE PRE-REGISTRATION FORM

We encourage all our potential bull buyers to consider registering before sale day. While this is greatly appreciated, it is not compulsory and you will still be able to register on sale day with Elders. Pre-registered attendees will simply ask at the desk for their bid card and go on their way. If you require any assistance, please contact Kim Williams at Elders Gundagai on 0477 020 489.

Trading Name: \_\_\_\_\_

Contact Name: \_\_\_\_\_

Postal Address: \_\_\_\_\_

PCode: \_\_\_\_\_

Property Address: \_\_\_\_\_

PCode: \_\_\_\_\_

Mobile: \_\_\_\_\_ Telephone: \_\_\_\_\_

Email Address: \_\_\_\_\_

PIC: \_\_\_\_\_ EU Accredited? Yes ☐ No ☐

Angus Australia Membership ID (if applicable): \_\_\_\_\_

Do you require society transfers? Yes ☐ No ☐ Prefix: \_\_\_\_\_

Agents Trading Name: \_\_\_\_\_

Town: \_\_\_\_\_

## PLEASE NOTE THE FOLLOWING DISCLAIMER

Insurance risk of any stud animal sold at auction transfers to the purchaser at the fall of the hammer. Any animal remaining on the vendor's property is at the risk of the purchaser; it is advised as a minimum that a full loss of use insurance policy is taken at time of sale. Stud animals are not covered by commercial livestock transit insurance at any point.

By the signature below I/we acknowledge we have read, understood, and agree to be bound by the Terms & Conditions.

Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Print Name: \_\_\_\_\_

## PLEASE RETURN COMPLETED FORM TO:

Postal: 234 Sheridan St, Gundagai NSW 2722  
Email: kim.williams@elders.com.au Fax: 02 69 441 931

Or visit [www.bongongoangus.com.au](http://www.bongongoangus.com.au) to complete the online version of this form.





## DUNOON QUICK DRAW MCGRAW Q1163

We purchased Quick Draw McGraw in 2021 from Dunoon Angus as the highest priced bull in their Spring sale. He has really proven himself and become an outstanding stud sire.

His temperament, phenotype, excellent muscle type, structure and not to mention his hidden wow factor of +5.8 for marbling in one whole package was hard to look past.

We have been watching his sons and daughters closely and well, we are very happy. We are looking forward to seeing where this bull and his progeny can take our herd and our clients.

### LOTS IN THIS CATALOGUE BY DUNOON QUICK DRAW MCGRAW:

21, 22, 23, 36, 49, 65



## **BONGONGO BE QUICK Q227**

Be Quick Q227 is a descendant of Kyloh Diana G3, purchased by Bongongo in 1994. Kyloh Diana G3 has 48 direct progeny in the Bongongo herd.

Stayabilty is the key word in the industry at present, study the progeny of Q227's Grand Dam and Great Grandmas who all recorded 7 progeny each for 7 years in a row!! A great display of the fertility and stayabilty this elite sires pedigree offers to the industry.

With 286 progeny already registered with Angus Australia Be Quick Q227 is quickly proving himself to be an elite sire who offers the industry genetics stacked with carcase merit, structural soundness and fertility. As an individual Q227 scored 5's on his Beef Class feet assessment, he is clean sheathed and very docile.

**LOTS IN THIS CATALOGUE BY BONGONGO BE QUICK Q227:** 31, 32, 50, 51, 52



# STUD SIRES



**BONGONGO P212** is a Rennylea L508 son out of a great Reality cow who just keeps on giving. P212 is consistency at its best. An easy calving bull with great carcase.



**DUNOON S147** has presence. His progeny is looking very good and first sons will be in this year's Spring sale.





**TE MANIA SAVILLE S258** a son of Kirby we purchased in a joint partnership. An exciting addition to Bongongo with high genetic merit.



**KO BEAST MODE P117** has been an exciting addition to our Bongongo herd. Said to be “one of the best Beast Modes in the industry” - need we say more!

# ANGUS HeiferSELECT

## AN ADVANCED GENOMIC TOOL TO INFORM THE SELECTION OF REPLACEMENT HEIFERS FOR COMMERCIAL AUSTRALIAN ANGUS BREEDERS



A product of Angus Australia, developed with CSIRO and delivered in collaboration with Zoetis and Neogen.



Scan for more  
information.

This was created as a result of  
a collaboration between Angus  
Australia and Meat & Livestock  
Australia Donor Company  
(MDC) (Project P.PSH.1063).




## NOTES





# SALE LOCATION MAP




## FROM GUNDAGAI

Take the left exit off Hume Highway to Pettit/Coolac then take first right to Adjungbilly and follow this road under highway, turn onto Gobarralong Rd for 12 kms. Take Crowes Rd to the left just before crossing the Murrumbidgee River, follow road for 12kms to Riverview.

Note: Do not take the Riverview Road sign stay on Crowes Road.

## FROM YASS

From Yass, head towards Jugiong. Take the Cooinenee Rd approximately 6kms south of Jugiong. Riverview is 13km down that road.







Bongongo Angus  
Riverview  
Coolac NSW 2727

POSTAGE  
PAID  
AUSTRALIA



**VENDORS:**

Riverview (02) 6945 3130  
Bill Graham 0428 245 208  
Georgia Graham 0413 251 353



**AGENTS:**

Ryan Baiada 0435 411 536  
Harry Waters 0417 441 155  
Elders Gundagai (02) 6944 1155

[www.bongongoangus.com.au](http://www.bongongoangus.com.au)

Mrs Jessica Murphy  
683 Huntley Rd  
Huntley NSW 2800

**PLEASE BRING THIS CATALOGUE TO THE SALE**